

# SCOTSMAN'S PREMIER WARRANTY

## Icemakers/Dispensers

- 2 Year parts on all components
- 2 Year labor on all components
- 5 Year parts only on compressor

## Ice/Beverage Dispensers

- 2 Year parts on all components
- 1 Year labor on all components

## Hotel Dispensers

- 3 Year parts on all components
- 3 Year labor on all components

## DISPENSER ACCESSORIES

	MDT2C12	MDT3F12	MDT4F12	MDT5N25	MDT5N40	MDT6N90	ID150	ID200	ID250	HD22	HD30
<b>Wall Mounting Kits</b>											
KWB4		■	■								
KWB3				■	■						
<b>Splash Panel Kits</b>											
KSP5				■	■						
<b>Water Filtration System By EverPure® Filtration Systems, Replacements &amp; Prefilters</b>											
SSM1-A-Single System	■	■	■	■	■	■					
SSMRC1-Replacement Cartridge (package of 1)	■	■	■	■	■	■					
SC10-A-10" Coarse Prefilter	■	■	■	■	■	■					
SC20-A-20" Coarse Prefilter	■	■	■	■	■	■					
<b>Kits</b>											
KWGFID-Field Installed Water Glass Filler Kit							■	■	■		
KNUGDIV-Field Installed Nugget Ice Dispensing Kit							■	■	■		
<b>Machine Stands</b>											
IOBDM522-Machine Stand							■				
IOBDM530-Machine Stand								■	■		
<b>Bin Tops</b>											
KBT32-Bintop Adapter for Eclipse 22"											■
KBT35-Bintop Adapter for Eclipse 22"							■				
KBT36-Bintop Adapter for Eclipse 22"								■	■	■	
KBT40A-Bintop for Eclipse Cubers							■				
KBT41-Bintop for Eclipse Cubers								■	■		
KBT42-Bintop for 22" Cuber or 21" Nugget Maker							■				
KBT43-Bintop for 22" Cuber								■	■		
KBT44-Bintop for 30" Cuber								■	■		
KBT46A-Bintop for 21" Nugget Maker								■	■		
<b>Hotel Dispenser Kits</b>											
KTOKN-500 Tokens - .0984" diameter											■
KPCCD200-Vend Portion Kit											■

Consult your Scotsman Price Schedule for complete details before ordering



# Scotsman®

**YOU'LL VALUE THE DIFFERENCE™**

775 Corporate Woods Parkway • Vernon Hills, IL 60061 • (800) SCOTSMAN • Fax (847) 913-9844  
 Website: [www.scotsman-ice.com](http://www.scotsman-ice.com) • [customer.service@scotsman-ice.com](mailto:customer.service@scotsman-ice.com)

# DISPENSERS

# Scotsman®

**YOU'LL VALUE THE DIFFERENCE™**

# INTRODUCING THE NEW & IMPROVED TOUCHFREE® ICE-MAKER/WATER DISPENSERS



At Scotsman, we enhanced our TouchFree icemaker/water dispenser inside and out with new, sleek, European styling and a 25% reduction in fan noise. Our new TouchFree dispensers are perfect for the quietest hallway or the busiest cafeteria. Plus, we improved the dispensing area on our smaller units to accommodate a greater variety of containers.

Specifically designed to meet the strict requirements of health care facilities, the Scotsman TouchFree icemaker/water dispenser is becoming a favorite for patient care, food service and laboratories. The TouchFree MDT5N25, MDT5N40 and MDT6N90 produce from 500-757 lbs. of soft, chewable nugget ice, while the MDT3F12 and MDT4F12 produce from 250-450 lbs. of flake ice. Our recently introduced new MDT2C12 TouchFree unit dispenses cubelet ice, which is a harder, slow-melting, ice form that allows for more reliable and easier dispensing. All three ice forms are a favorite for patient care as well as beverages.

The TouchFree dispensers eliminate the use of levers and buttons because of its unique infrared sensor design that determines when to dispense ice or water. The MDT2C12 has an unique infrared sensor design that determines when to dispense ice, water or both. Since there is no physical contact with the surfaces of the machine, the risk of cross-contamination is dramatically reduced. The TouchFree Icemaker/Water Dispensers comply with the most stringent requirements of the National Sanitation Foundation and the spirit of the Americans with Disabilities Act.



MDT5N25

A consumer preference, soft, chewable nugget ice is not only versatile and slow-melting, but helps drinks stay cool longer.

Scotsman	COUNTERTOP ICE MAKER/DISPENSERS					
	MDT2C12	MDT3F12	MDT4F12	MDT5N25	MDT5N40	MDT6N90
<b>Dimensions</b> -WxDxH	15 <sup>3</sup> / <sub>16</sub> x27 <sup>1</sup> / <sub>4</sub> x34 <sup>1</sup> / <sub>2</sub>	14x23 <sup>3</sup> / <sub>4</sub> x34 <sup>3</sup> / <sub>16</sub>	14x23 <sup>3</sup> / <sub>4</sub> x34 <sup>3</sup> / <sub>16</sub>	26x22 <sup>1</sup> / <sub>2</sub> x41	26x22 <sup>1</sup> / <sub>2</sub> x48 <sup>1</sup> / <sub>2</sub>	35 <sup>3</sup> / <sub>16</sub> x29 <sup>1</sup> / <sub>8</sub> x45 <sup>3</sup> / <sub>4</sub>
<b>Electrical</b> -Volts/Hz/Phase	115/60/1	115/60/1	115/60/1	115/60/1	115/60/1	115/60/1
<b>Bin Capacity</b> -Lbs./Kg	12/6	12/6	12/6	26/12	40/18	90/4
<b>Ice Form</b>	Cubelet	Flake	Flake	Nugget	Nugget	Nugget
<b>Max. Fuse Size</b>	*	*	*	* 20	* 20	* 20
<b>Compressor HP</b>	10	20	20	25 20	25 20	25 20
<b>No. of Wires</b>	1/2	1/2	1/2	1/2 1/2	1/2 1/2	3/4 3/4
<b>Min. Circuit Ampacity</b>	2	2	2	2 2	2 2	2 2
<b>Shipping Weight</b> -Lbs./Kg	13	14.9	14.9	19.3 17.8	19.3 17.8	18.1 16.5
<b>Shipping Weight</b> -Lbs./Kg	161/73	155/70	155/70	260/118	280/127	330/150
<b>Ice Production - 24 Hours - Power &amp; Water Usage</b>						
<b>70° Air/50° Water</b>						
<b>Air-Cooled</b> -Lbs./Kg	273/124	392/178	453/205	523/237	523/237	720/327
<b>Water-Cooled</b> -Lbs./Kg	NA	NA	NA	525/238	525/238	715/324
<b>Ice Production - 24 Hours - Power &amp; Water Usage</b>						
<b>90° Air/70° Water</b>						
<b>Air-Cooled</b> -Lbs./Kg	198/90	294/133	351/159	409/186	409/186	540/245
KWH	13.0	5.6	5.6	5.4	5.4	5.6
Water (Potable)	24	12.0	12.0	12.0	12.0	12.0
<b>Water-Cooled</b> -Lbs./Kg	NA	NA	NA	455/208	455/208	610/277
KWH	NA	NA	NA	4.0	4.0	4.3
Water (Potable)	NA	NA	NA	12.0	12.0	12.0
Water (Cond.)	NA	NA	NA	97.0	97.0	98.2
<b>Machine Stands* (Dimensions: WxDxH)</b>						
<b>DMS21B</b> 26x22 <sup>1</sup> / <sub>2</sub> x30				■	■	
<b>DMS31B</b> 35 <sup>3</sup> / <sub>16</sub> x29 <sup>3</sup> / <sub>8</sub> x30						■

\* Air Cooled    ■ Water Cooled    \*Add 6" for leg height on stands    KWH & water based on 100 Lbs. of ice



MDT2C12



MDT3F12



MDT6N90

Determining ice usage depends on how and where you're using the ice. For hospitals, you should plan on using 7 lbs. per patient and 2 lbs. per employee per day. To be safe, you may want to add 20% to that usage to accommodate future growth or peak demand periods.

# ICE ONLY DISPENSERS

Because self-serve beverages are one of a convenience store's most profitable products, the dispensing equipment is extremely important. It has got to be easy for customers to use, easy to maintain and it must have outstanding reliability.

Scotsman ID & BD series dispensers provide durable, reliable performance under the most demanding conditions. Heavy-duty construction and components assures longer life. The insulated, heavy-duty drip tray prevents condensation that can leak on countertop causing damage and/or sanitary issues. Stainless steel exteriors provide an attractive and inviting contemporary design yet resist corrosion and rust. Designed to Scotsman's specifications, ID & BD dispensers are a perfect match for CM<sup>3</sup> cubers.



CME1056 on BD200

Scotsman dispensers are designed to match with CM<sup>3</sup> cubers which offer the Lowest Lifetime Ownership Cost.



## Choice of Configurations

Ice-only or ice and beverage dispensers are available in popular widths: 22 or 30 inches, with storage capacities of 150, 200 or 250 lbs. Popular UF1 valves are standard and can be combined with cube or nugget ice machines.

## Durable Construction

The easy-to-clean stainless steel exterior resists corrosion and can withstand the punishment of everyday use. The storage bin is made of rust-free plastic and the dispensing mechanism is comprised of heavy-duty components for long life.

## CM<sup>3</sup> Ready

Scotsman dispensers are designed to specifically match CM<sup>3</sup> cubers which offer the Lowest Lifetime Ownership Cost. The combination provides the greatest value, the most appealing aesthetics and assures a factory-tested, perfectly matched system.



BD150



ID200



ID250

Scotsman	COUNTERTOP ICE DISPENSERS		
	ID150	ID200	ID250
Dimensions-WxDxH	22x30x35 <sup>5/8</sup>	30x30x35 <sup>5/8</sup>	30x30x39 <sup>5/8</sup>
Electrical-Volts/Hz/Phase	115/60/1	115/60/1	115/60/1
Bin Capacity-Lbs/kg	150/68	200/91	250/114
Actuation	Cup Activated	Cup Activated	Cup Activated
Max Fuse Size	15	15	15
No. of Wires	2	2	2
Min. Circuit Ampacity	Cord	Cord	Cord
Shipping Weight-Lbs/kg	150/68	250/113	300/136
Ice Machine Options (Dimension: WxDxH)			
CME306-22x24x28	■		
Ice Prod.*-Lbs/kg-330/150			
CME456-22x24x28	■		
Ice Prod.*-Lbs/kg-490/222			
CME256-30x24x27		■	■
Ice Prod.*-Lbs/kg-320/145			
CME506-30x24x27		■	■
Ice Prod.*-Lbs/kg-510/231			
CME656-30x24x27		■	■
Ice Prod.*-Lbs/kg-645/293			
CM806-30x24x27		■	■
Ice Prod.*-Lbs/kg-705/345			
CME1056-30x24x28		■	■
Ice Prod.*-Lbs/kg-910/413			

\*Above ice machines are based on water-cooled units. See individual spec sheets for air & remote cooled units.

As a guideline for ice usage, assume that customers will use 4 oz. of ice per 12 oz. cup; 7 oz. per 20 oz. cup; and 10 oz. per 32 oz. cup. If you sell bagged ice, Scotsman has a variety of machines to match your store's volume— from 300 lbs. to 2,000 lbs. a day.

# YOU'LL VALUE OUR ICEVALET™ HOTEL ICE DISPENSER.

**iceValet™** The reliability of the new iceValet™ will keep your guests supplied with ice always, so you can pay attention to their other needs. Because it is so reliable, it will be like adding another member to your staff.

This sleek-looking family is available in 22" and 30" widths and features an easy to use ice dispensing chute. The 22" wide unit offers storage up to 120 lbs. while the 30" unit stores up to 180 lbs.

Both units feature a new and improved sink depth of 7.75" that will accommodate virtually every sized hotel ice bucket. Plus, the 30" wide model is available with optional coin/token mechanism or water filler.

Match the iceValet with Scotsman's CM<sup>3</sup> ice machines featuring Auto IQ™plus control system, the CM3 evaporator and a rust free polyethylene base and food zone that's backed by a lifetime rust free warranty. CM3 technology features ReliaClean™, a simplified, push button cleaning process, to help keep your ice machine clean. All these features add-up to offering the Lowest Lifetime Cost of Ownership.



CME506 on HD30 Dispenser

Scotsman has two self-serve dispensers specifically designed for hotel/motel use. The high-capacity HD30 stores up to 180 lbs. of ice per day. At just 22 inches wide, the HD22 stores up to 120 lbs. of ice, allowing for maximum guest convenience.



### Sleek Appearance

Both the HD30 and the HD22 have a durable stainless steel exterior that looks attractive in any decor. The HD30 rounded corners and rust-free plastic top panel are specifically designed to match the cuber to the dispenser.

### Easy Access Bin

The iceValet's bin access door allows easy access to the bin for cleaning and service without having to remove the ice machine head. Plus, it features a unique power lock switch to ensure operator safety during maintenance.

### Reliable Performance

CM<sup>3</sup> ice machines are the perfect match for our hotel dispensers. Lower utility usage leads to Best-in-Class performance, and reliability is assured with features like Scotsman's unique AutoIQ™, with patented Adaptive Harvest, patented AntiSlush and AutoRestart.

Hotel/Motel Dispensers	HD22	HD30
<b>Dimensions-WxDxH</b>	22 x 33.5 x 53.25	30 x 33.5 x 53.25
<b>Electrical-Volts/Hz/Phase</b>	115/60/1	115/60/1
<b>Bin Capacity</b>	120/59	180/81
<b>Actuation</b>	Push Chute	Push Chute
<b>Max Fuse Size</b>	15	15
<b>No. of Wires</b>	2	2
<b>Min. Circuit Ampacity</b>	2.1	2.1
<b>Options</b>	N/A	Water Filler/Coin/Token
<b>Shipping Weight-lbs/kg</b>	199/91	220/99
Ice Machine Options (Dimensions:WxDxH)		
<b>CME306</b> 22 x 24 x 28 Ice Prod.**(lbs/kg) 330/150	■	
<b>CME456</b> 22 x 24 x 28 Ice Prod.**(lbs/kg) 490/222	■	
<b>CME256</b> 30 x 24 x 28 Ice Prod.**(lbs/kg) 320/145		■
<b>CME506</b> 30 x 24 x 28 Ice Prod.**(lbs/kg) 510/231		■
<b>CME656</b> 30 x 24 x 28 Ice Prod.**(lbs/kg) 645/293		■

\*Includes 6" height for legs


Ⓜ Dispensers rated in accordance with ARI standards 820-95  
Ice machines rated in accordance with ARI standard 810-95



CME306 on HD22 Dispenser



Sink Area



Coin Mechanism

In an average hotel or motel, operators should base their ice needs on 3 lbs. of ice per room per day. However, plan on substantially more demand if guests are allowed to fill ice chests.