



Prodigy Plus® Eclipse® Remote Cooled Modular Cube Ice Machine

The world's smartest cuber.


As the world's only self-monitoring cuber, the new Scotsman Prodigy Plus® cube ice machines make it easier than ever to maintain your equipment and save money. Whether it's the advanced ice level control or an optional feature board for quick diagnostics, this is ice-making re-imagined. And with intuitive technology like AutoAlert™ indicator lights, a reduced operational footprint and easy-access service from the front panel, Prodigy Plus® cubers are simply the smartest, most reliable way to create fresh-tasting ice — every time.

The Prodigy Plus® difference.

- AutoAlert™ indicator lights for better visibility
- Operational footprint among the industry's smallest
- Industry-exclusive QR code instantly connects users to service information and warranty history
- One-touch cleaning reduces labor costs and saves time
- Front-located air filter for more efficient operation
- Self-aligning front panel for easy access to key components
- Patented WaterSense purge control automatically reduces scale buildup
- Patented Harvest Assist efficiently moves cube ice to the bin
- Smart-Board™ advanced feature module available for additional diagnostic capabilities
- Optional Vari-Smart™ ice level control allows operators to customize ice levels
- Antimicrobial protection guards internal surfaces between cleanings
- A full range of water- and energy-saving features



Remote condenser.



Eclipse System connected to single remote condenser.

24 Hour Volume Production

EH430 1400lb		EH430 1800lb		
70°F/21°C	Air 90°F/32°C	70°F/21°C Air 90°F/32°C		
50°F/10°C	Water 70°F/21°C	50°F/10°C Water 70°F/21°C		
1425/648	1200/545	1775/807 1600/727		
lb/kg	lb/kg	lb/kg lb/kg		



Modular Bin Options

Model Number*	Dimensions W" x D" x H"	Bin Application Capacity lb/kg	Finish	Ship Weight lb/kg
ID250	30 x 30 x 40	-	Stainless Steel	300/136
B948S	48 x 34 x 44**	893/406	Metallic	209/95
BH1100BB	48 x 34 x 50**	1100/499	SS w/ GBB†	280/127
BH1100SS	48 x 34 x 50**	1100/499	Stainless Steel	280/127
BH1300BB	60 x 34 x 50**	1400/635	SS w/ GBB†	310/140
BH1300SS	60 x 34 x 50**	1400/635	Stainless Steel	310/140
BH1600BB	60 x 34 x 62**	1755/796	SS w/ GBB†	370/168
BH1600SS	60 x 34 x 62**	1755/796	Stainless Steel	370/168

- * Contact Scotsman for bin top requirements. ** Add 6" Height for bin legs.
- † Stainless steel with galvanized back & bottom.








- 3 years parts and labor on all components.
- 5 years parts and labor on the evaporator.
- 5 years parts on the compressor and condenser.Warranty valid in North, South & Central
- America for commercial installations.


 Contact factory for warranty in other regions.
- Residential Applications: 1 year parts and labor





- 101 Corporate Woods Parkway, Vernon Hills, IL 60061 •
- 1-800-SCOTSMAN Fax: 847-913-9844 www.scotsman-ice.com customer.relations@scotsman-ice.com •

EH430 - 1400-1800lb Cube Ice Machine











Specifications

			Max. Fuse Size			Energy Consumption		· Usage b (liters/45.4 kg)
Ice Head Model Number	Compressor Unit	Basic Electrical Volts/Hz/Phase	or HACR Circuit Breaker (amps)	Circuit Wires	Min. Circuit Ampacity	kWh/100 lb (45.4 kg) 90°F(32°C)/70°F(21°C)	Potable 90°F(32°C	Condenser C)/70°F(21°C)
EH430SL-1	-	115/60/1	15	2	Cord	-	-	-
EH430ML-1	-	115/60/1	15	2	Cord	-	-	-
-	ECC1410-32	208-230/60/1	30	2	15.8	4.5	18.0/70.1	-
-	ECC1410-3	208-230/60/3	20	3	11.6	4.5	18.0/70.1	-
-	ECC1800-3	208-230/60/3	30	3	19.0	4.67	18.0/66.7	-



All Models

Dimensions (W x D x H):

30" x 24" x 29" FH430 Unit: (76.2 x 61.0 x 73.7 cm)

34" x 28" x 32" Shipping Carton:

(86.4 x 71.1 x 81.3 cm)

Compressor Unit: 30" x 18" x 35"

(76.2 x 45.7 x 88.9 cm)

33" x 21" x 38" Shipping Carton:

(83.8 x 53.3 x 96.5 cm)

Shipping Weight: EH430 165lb / 75 kg ECC1800 225lb / 102kg ECC1410 225lb / 102kg

EH430 1400lb : 20,000 BTUs per hour:

EH430 1800lb : 31,600 EH430 2000lb : 35,300

Refrigerant: R-404A



Accessories

Model Number	Description	
KVS KSBU-N SBRTE20-EH 3BRTE35-EH 3BRTE50-EH 3BRTE55-EH	Vari-Smart™ Ice Level Control - Program ice bin levels to match ice needs. Smart-Board™ Advanced Control - Use additional operational data for fast diagnosis. Smart-Board™ Advanced Control with Network - Network capable. Line set, 20ft. Refrigerant and Brazing required Line set, 35ft. Refrigerant and Brazing required Line set, 75ft. Refrigerant and Brazing required Line set, 75ft. Refrigerant and Brazing required	_

Scotsman recommends all ice machines have water filtration. See Scotsman water filter specification sheet for details.



Operating Requirements

	Minimum	Maximum
Air Temperatures	50°F (10°C)	100°F (38°C)
Water Temperatures	40°F (4.4°C)	100°F (38°C)
Remote Cond. Temps	-20°F (-29°C)	120°F (49°C)
Water Pressures	20 PSIG (1.4 bar)	80 PSIG (5.5 bar)
Electrical Voltage	-5%	+10%

Specifications and design are subject to change without notice.



• 101 Corporate Woods Parkway, Vernon Hills, IL 60061 •

Scotsma • 1-800-SCOTSMAN • Fax: 847-913-9844 • www.scotsman-ice.com • customer.relations@scotsman-ice.com •