





Scotsman®

COMMERCIAL PRODUCTS

LIST PRICE SCHEDULE *Effective September 1, 2022*

The List Price Schedule is intended only as a guideline to pricing. It does not restrict the price a distributor or dealer may establish.

Our global-leading ice products and services are very local. To see how easy it is to bring them to your location, call 1-800-SCOTSMAN (726-8762) or visit www.scotsman-ice.com.



Scan to learn more



TABLE OF CONTENTS

Introduction	3-7
WHY SCOTSMAN	3
RECOGNITION / CERTIFICATION	3
SALES & MARKETING TOOLS	4
MODEL IDENTIFICATION	5
ICE FORMS	6
MACHINE SIZING GUIDELINES	7
Modular Cube Ice Machines	8-13
MODULAR CUBE FEATURES & BENEFITS	8
MODULAR CUBE UNITS	9-10
MODULAR CUBE KITS & ACCESSORIES	11
MODULAR CUBE / REMOTE CONDENSER PACKAGES	12-13
UNDERCOUNTER GOURMET CUBE UNITS	13
Undercounter Cube Ice Machines	14-15
UNDERCOUNTER CUBE FEATURES & BENEFITS	14
UNDERCOUNTER CUBE UNITS & ACCESSORIES	15
Modular Flake Ice Machines	16-17
MODULAR FLAKE FEATURES & BENEFITS	16
MODULAR FLAKE UNITS	17
Modular Nugget Ice Machines	18-21
MODULAR NUGGET FEATURES & BENEFITS	18
MODULAR NUGGET UNITS	19
REMOTE LOW SIDE NUGGET / FLAKE UNITS	20
NUGGET / FLAKE KITS & ACCESSORIES	21
Undercounter Nugget & Flake Ice Machines	22-23
UNDERCOUNTER NUGGET / FLAKE FEATURES & BENEFITS	22
UNDERCOUNTER NUGGET / FLAKE UNITS & ACCESSORIES	23
Ice & Water Dispensers	24-27
ICE & WATER DISPENSER FEATURES & BENEFITS	24
ICE & WATER DISPENSERS	25
DISPENSER STANDS	25
HOTEL / MOTEL DISPENSERS & ACCESSORIES	26
ICE ONLY COUNTER TOP DISPENSERS	26
ICE ONLY DISPENSER KITS & ACCESSORIES	27
Bins & Sanitation	27-35
STORAGE BINS	27
ICE EXPRESS SYSTEM	28
BIN ACCESSORIES	28
BIN TOP KITS / ACCESSORY KITS	29
SANITATION & WATER FILTRATION	30-31
ICE MACHINE TO DISPENSER KIT CHART	33
MACHINE / BIN SIZING CHART	34-35
Index	36-38
Warranty & Definitions	39

WHY SCOTSMAN?



Scotsman - Above and Beyond Great Ice Machines

Scotsman is more than just great ice machines. We back up quality products with The Ultimate Ice Experience. This starts with our world-class manufacturing facility in South Carolina, to our high quality and reliable products, and extends to our dedicated support network. From beginning to end, Scotsman's channel partners and customers get the products, service and support they deserve.



Award Winning Manufacturing & Products

When equipment is functioning smoothly, operators have more time and energy to spend on serving customers. That's why Scotsman offers an impressive array of technology that keeps operators informed – well before issues arise.



Designed, Engineered & Assembled In The USA

At Scotsman, our quality story begins inside our award-winning production facility in South Carolina. And with 99% of our equipment U.S.-based, we're proud to keep things close to home.



24/7 Technical Support

Our Technical Service department has a 24 hour emergency line so there is always a Scotsman representative available to help when you need it. We also have an area on our website specifically dedicated to technical information.



Certified Product Performance

So you don't have to just take our word for it, AHRI provides Scotsman with certifications for almost every single one of our ice machines and bins. Scotsman is ISO 9001:2015 certified with 100% of our units being quality checked before leaving the plant.



Focus on Energy & Savings

Offering several ENERGY STAR® certified models, Scotsman ice machines incorporate a superior design that reduces energy and water consumption, making a difference for the environment and the bottom line. Look for the ✓ symbol throughout the price book to find our qualified products.



Innovative Sales Tools & Trainings

Scotsman has created several tools to help our partners and customers learn more about our brand and products. These tools include the Resource Center, Sales App, Ice Machine Sizing and Selector Tool, Comparison Tool and more.



Sales & Marketing Tools



iPad App

What is it?

An Apple Enterprise iPad App with true on-the-go access to presentations, images and videos, marketing literature and interactive tools

How do I access it?

- Type the below link into your web browser
<http://salesapp.scotsman-ice.com/ipad-app/>
- Scan the QR code for instant access
- Visit the Sales App Microsite and click the "Download iPad App" button in the top left corner

Functionality

- Only available for Apple iPads
- Formatted for offline use as a true, on-the-go resource



Scan to access



Microsite

What is it?

A web-based microsite with access to presentations, images and videos, marketing literature and interactive tools

How do I access it?

- Type the below link into your web browser
<http://salesapp.scotsman-ice.com>
- Scan the QR code for instant access
- Visit the Scotsman website homepage. Click "Resource Center" from the top tool-bar. Then scroll to the Sales Tools section and click "Sales App"

Functionality

- Available on all devices - Computers, tablets & cell phones
- Requires internet connection



Scan to access



Resource Center

What is it?

The Scotsman Resource Center replaces our Library web page and is the ultimate destination for getting Scotsman marketing tools and information.

How do I access it?

- Type the below link into your web browser
<http://portal.scotsman-ice.com>
- Scan the QR code for instant access
- From our website home page, click the Resource Center tab

Functionality

- Available on all devices - Computers, tablets & cell phones
- Requires internet connection



Scan to access



Comparison Tool

What is it?

This tool can be used to find the closest machine for a complete comparison of specifications and operating costs.

How do I access it?

- Type the below link into your web browser
<https://portal.scotsman-ice.com/ComparisonTool/>
- Scan the QR code for instant access
- From our Resource Center, visit the Sales Tools section, and click on Comparison Tool link

Functionality

- Available on all devices - Computers, tablets & cell phones
- Requires internet connection



Scan to access



Ice Machine Model Identification

C0530SA-1E

C	05	30	S	A	-1	E
model type	capacity 100s of lb	cabinet width (in.)	cube size	condenser type	base electrical volts/hz/phase	series code
C = Cube (Modular)			S = Small	A = Air cooled	-1 = 115/60/1	
CU / UC = Undercounter Cube			M = Medium	W = Water cooled	-32 = 208-230/60/1	
EH = Remote Low-Side Cube (Modular)				R = Remote	-3 = 208-230/60/3	
FS = Flake (Modular)				L = Remote low side	-6 = 220-240/50/1	
UF = Undercounter Flake						
NH = Hard Nugget (Modular)						
NS = Soft Nugget (Modular)						
UN = Undercounter Nugget						
HD = Hotel Dispenser						
HID = Ice & Water Dispenser						
ID = Ice Only Dispenser						

Date Code: Scotsman's production date code is located
in the serial number.

2 digit year, 2 digit month, mfg site ID, six numbers

Example: 09061320998877

0906 = Manufactured June, 2009



An Ice Form to Meet Every Need



GOURMET ICE

The perfect unique shape for upscale bars and restaurants.

APPLICATIONS: Bar Use
Waitress Stations
Office Suites
Break Rooms

SIZE: 1" x 1 1/8" x 1 1/4"



FLAKE ICE

These small pieces of ice combine fast cooling power with very low production costs.

APPLICATIONS: Blended Cocktails
Salad Bars
Meat & Seafood Displays

SIZE: Compressed Flake Ice



ORIGINAL CHEWABLE NUGGET ICE®

The smallest, softest and most chewable, our proprietary nugget ice is The Original Chewable Ice® - a customer favorite for decades.

APPLICATIONS: Carbonated Beverages
Food Displays
Therapeutic Applications

SIZE: 7/16" x 5/16" x 3/8"



H² NUGGET ICE

Slightly harder, slower melting, nugget ice form that combines more reliable dispensing with the chewable ice that customers love.

APPLICATIONS: Carbonated Beverages
Food Displays
Improved Ice Dispensing
Therapeutic Applications

SIZE: 3/4" x 5/16" x 3/8"



SMALL & MEDIUM CUBE ICE

Our familiar crystal-clear diced ice cube form, available in both small and medium sizes to fit your needs.

APPLICATIONS: Mixed Drinks
Carbonated Beverages
Ice Dispensing
Banquet Services

SIZE: Small: 7/8" x 7/8" x 3/8"
Medium: 7/8" x 7/8" x 7/8"





Guidelines to Sizing Ice Systems

Every operation is different and requires special considerations in sizing equipment. For new locations, use the guidelines below. You may want to add 10-20% for growth or add for unusual types of usage, e.g., icing down drink barrels, bagging ice for resale. For a replacement unit, be sure to ask if the existing unit met the operator's needs. If not, add the amount of ice being purchased to the capacity of the existing unit to determine necessary production for the new unit.

Foodservice

Restaurants:

1.7 lb (0.8 kg) per customer or 5.0 lb (2.3 kg) per seat.

Cocktail Lounge:

3 lb (1.4 kg) per customer.

Salad Bar:

Add 35 lb (15.9 kg) per cubic foot of display. Multiply by 2 or 3 depending on estimated refills required.

Fast Food:

0.9 lb (0.4 kg) per customer or 7.4 lb per seat. Use 2 oz per 8-10 oz drink; 4 oz per 12-16 oz drink.

Convenience Stores/Customer Self-Service

4 oz per 12 oz drink; 7 oz per 20 oz drink; 10 oz per 32 oz drink. Cold plate-add 50% more.

Healthcare:

8 lb (3.6 kg) per patient bed. Use 3 lb (1.4 kg) per employee.

Lodging:

3 lb (1.4 kg) per guest room. Plan on substantially more if guests are allowed to fill ice chests.



Ice Machine Sizing & Selector Tool

What is it?

This tool can be used to find the right machine for your operation. Calculate estimated ice usage and sort ice machine models by categories including: application, ice form, machine width and unit placement.

How do I access it?

- Type the below link into your web browser
<https://portal.scotsman-ice.com/SelectorTool/>
- Scan the QR code for instant access
- From our Resource Center, visit the Sales Tools section, and click on Ice Machine Sizing & Selector Tool link

Functionality

- Available on all devices -
Computers, tablets & cell phones
- Requires internet connection



Scan to access

PRODIGY PLUS® MODULAR CUBE ICE MACHINES



As the world's only self-monitoring cuber, the new Scotsman Prodigy Plus® cube ice machines make it easier than ever to maintain your equipment and save money.

Features & Benefits

Front-located air filter for more efficient operation

Self-aligning front panel for easy access to key components

Patented **WaterSense** purge control allows operators to save water and energy

Smart-Board™ advanced feature module available for additional diagnostic capabilities

Operational footprint among the industry's smallest

Optional **Vari-Smart™** ice level control allows operators to customize ice levels

Antimicrobial protection guards internal surfaces between cleanings



One-touch cleaning reduces labor costs and saves time



AutoAlert™ indicator lights for better visibility



Scan for an example

Industry-exclusive **QR code** instantly connects users to service information



Scotsman®

**PRODIGY
PLUS**



Prodigy Plus® Modular Cubers Utilizing AquaArmor™ with AgION®

*Refer to page 27 & 29 for required bins & bin top kits.



PRODIGY
PLUS

MODULAR CUBE

Unit Dimensions (W x D x H)	Cube Size	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				70°F/21°C 50°F/10°C lb/kg	Air Water lb/kg		115/60/1 -1	208-230/60/1 -32	230/50/1 -6
 22" x 24" x 23" 55.9 x 61.0 x 58.4 cm	Med. Sm.	C0322	Air Water Air Water	356/162 366/166 356/162 366/166	232/105 292/133 232/105 292/133	155/70 155/70 155/70 155/70	\$8,494 \$8,644 \$8,494 \$8,644	\$8,619 \$8,619 \$8,619 \$8,769	\$8,669 ● \$8,669 ● \$8,669 ● \$8,669 ●
		C0322MA							
		C0322MW							
		C0322SA							
	Med. Sm.	C0522	Air Water Air Water	475/216 480/218 475/216 480/218	340/154 409/186 340/154 409/186	160/73 160/73 160/73 160/73	\$8,925 \$9,075 \$8,925 \$9,075	\$9,050 \$9,050 \$9,050 \$9,200	\$9,100 ● \$9,100 ● \$9,100 ● \$9,100 ●
		C0522MA							
		C0522MW							
		C0522SA							
 22" x 24" x 29" 55.9 x 61.0 x 73.7 cm	Med. Sm.	C0722	Air Air	758/345 758/345	566/257 566/257	189/86 189/86		\$10,632 \$10,632	\$10,807 ● \$10,807 ●
		C0722MA							
		C0722SA							

Unit Dimensions (W x D x H)	Cube Size	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				70°F/21°C 50°F/10°C lb/kg	Air Water lb/kg		115/60/1 -1	208-230/60/1 -32	230/50/1 -6
 30" x 24" x 23" 76.2 x 61.0 x 58.4 cm	Med. Sm.	C0330	Air Water Air Water	400/182 420/191 400/182 420/191	288/131 326/148 288/131 326/148	155/70 155/70 155/70 155/70	\$7,933 \$8,083 \$7,933 \$8,083	\$8,058	
		C0330MA							
		C0330MW							
		C0330SA							
	Med. Sm.	C0530	Air Remote Water Air Remote Water	525/238 500/227 500/227 525/238 500/227 500/227	380/172 400/181 410/186 380/172 400/181 410/186	175/80 175/80 175/80 175/80 175/80 175/80	\$8,814 \$8,714 \$8,964 \$8,814 \$8,714 \$8,964	\$8,939	\$8,989 ● \$8,989 ● \$8,989 ● \$8,989 ● \$8,989 ● \$8,989 ●
		C0530MA							
		C0530MR							
		C0530MW							
		C0530SA							
		C0530SR							

Unit Dimensions (W x D x H)	Cube Size	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				70°F/21°C 50°F/10°C lb/kg	Air Water lb/kg		208-230/60/1 -32	208-230/60/3 N/A	230/50/1 -6
 30" x 24" x 23" 76.2 x 61.0 x 58.4 cm	Med. Sm.	C0630	Air Remote Water Air Remote Water	640/291 614/279 633/288 640/291 614/279 633/288	474/215 540/245 573/260 474/215 540/245 573/260	190/86 190/86 190/86 190/86 190/86 190/86	\$10,856 \$10,756 ✓ \$11,006 \$10,856 \$10,756 ✓ \$11,006		\$11,031 ● \$11,031 ● \$11,031 ● \$11,031 ● \$11,031 ● \$11,031 ●
		C0630MA							
		C0630MR							
		C0630MW							
		C0630SA							
		C0630SR							
		C0630SW							

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 27 for storage bins. Please call for pricing on other international configurations.

Prodigy Plus® Modular Cubers Utilizing AquaArmor™ with AgION®

Unit Dimensions (W x D x H)	Cube Size	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight	List Price			
				70°F/21°C 50°F/10°C lb/kg	Air Water		90°F/32°C 70°F/21°C lb/kg	208-230/60/1 -32	208-230/60/3 -3	230/50/1 -6
 30" x 24" x 29" 76.2 x 61.0 x 73.7 cm	Med.	C0830	Air Remote Water Air Remote Water	905/411 870/395 924/420 905/411 870/395 924/420	718/326 780/355 832/378 718/326 780/355 832/378	220/100 220/100 220/100 220/100 220/100 220/100	\$13,637 \$13,537 \$13,887 \$13,637 \$13,537 \$13,887	\$13,862	\$13,912 ●	
		C0830MA								
		C0830MR								
		C0830MW								
		C0830SA								
		C0830SR								
	Sm.	C0830SW								
		C1030	Air Remote Water Air Remote Water	1077/490 996/453 1029/468 1077/490 996/453 1029/468	816/371 869/395 929/422 816/371 869/395 929/422	235/107 235/107 235/107 235/107 235/107 235/107	\$15,874 \$15,774 \$16,124 \$15,874 \$15,774 \$16,124	\$15,999	\$16,149 ●	
		C1030MA								
		C1030MR								
		C1030MW								
		C1030SA								
C1030SR										
Sm.	C1030SW									

Unit Dimensions (W x D x H)	Cube Size	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight	List Price		
				70°F/21°C 50°F/10°C lb/kg	Air Water		90°F/32°C 70°F/21°C lb/kg	208-230/60/1 -32	208-230/60/3 -3
 48" x 24" x 29" 121.9 x 61.0 x 73.7 cm	Med.	C1448	Air Remote Water Air Remote Water	1553/706 1357/617 1444/656 1553/706 1357/617 1444/656	1296/589 1258/572 1340/609 1296/589 1258/572 1340/609	345/157 345/157 345/157 345/157 345/157 345/157	\$18,219 ✓ \$18,119 \$18,469 \$18,219 ✓ \$18,119 \$18,469	\$18,444 ✓ \$18,344 \$18,694 \$18,444 ✓ \$18,344 \$18,694	\$18,494 ●
		C1448MA							
		C1448MR							
		C1448MW							
		C1448SA							
		C1448SR							
	Sm.	C1848	Air Remote Water Air Remote Water	1909/868 1828/831 1900/864 1909/868 1828/831 1900/864	1426/647 1662/754 1668/757 1426/647 1662/754 1668/757	355/161 355/161 355/161 355/161 355/161 355/161	\$23,294 \$23,194 \$23,544 \$23,294 \$23,194 \$23,544	\$23,419	\$23,569 ● \$23,469 ● \$23,569 ● \$23,469 ● \$23,569 ● \$23,469 ●
		C1848MA							
		C1848MR							
		C1848MW							
		C1848SA							
		C1848SR							
	Med.	C2148	Remote Remote	1965/893 1965/893	1746/794 1746/794	370/168 370/168	\$28,494 \$28,494	\$28,719 \$28,719	\$28,769 ● \$28,769 ●
		C2148MR							
		C2148SR							

Unit Dimensions (W x D x H)	Cube Size	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg	208-230/60/1 N/A	208-230/60/3 -3	230/50/1 N/A
 48" x 28.5" x 34" 121.9 x 72.39 x 86.36 cm	Med.	C2648	Remote Remote	2630/1193 2630/1193		2131/967 2131/967	430/195 430/195	\$30,354 \$30,354	
		C2648MR							
		C2648SR							

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 27 for storage bins. Please call for pricing on other international configurations.

Modular Cuber Kits and Accessories

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				115/60/1 -1	208-230/60/1 -32	230/50/1 -6
	Remote Condensers					
29.5" x 29.13" x 38.47" 74.9 x 74.0 x 97.7 cm	ERC111	Remote condenser for C0530xR	95/43	\$2,848		
29.5" x 29.13" x 38.47" 74.9 x 74.0 x 97.7 cm	ERC311	Remote condenser for C0630xR, C0830xR, C1030xR, or C1448xR	130/59		\$3,006	\$3,181
29.5" x 37.8" x 38.47" 74.9 x 96.0 x 97.7 cm	ERC611	Remote condenser for C1848xR or C2148xR (Works with 50 Hz and 60 Hz units)	140/84		\$4,306	
28.5" x 39" x 34.63" 72.4 x 99.1 x 87.9 cm	PRC241	Remote condenser for C2648xR	135/61		\$5,011	

Model Number	Description	Shipping Weight lb/kg	List Price
Miscellaneous			
KERCF	Air filter for ERC111 or ERC311	5/2	\$225
RCKCME6GX-E	Remote condensing kit for connecting E revision Prodigy® models to non-Scotsman remote condenser coils, Quick connects not included	25/11	\$824
KTPS-SM	Tamper Proof Screw Kit (incl. Tool) to convert 22" (55.9 cm), 30" (76.2 cm) or 48" (121.9 cm) cuber	5/2	\$282
Line Sets			
BRTE10	Line set, 10 ft, brazing required	7/3	\$465
BRTE25	Line set, 25 ft, brazing required	12/6	\$694
BRTE40	Line set, 40 ft, brazing required	17/8	\$786
BRTE75	Line set, 75 ft, brazing required	35/16	\$1,201
KTE4	Tube end kit - contains 4 quick connect fittings for any RTE Line Set	5/2	\$311
BRTEL25	Line set, 25 ft (7.6m), use with C2648 remote cooled units, brazing required	16/7	\$581
BRTEL40	Line set, 40 ft (12.2m), use with C2648 remote cooled units, brazing required	22/10	\$872
BRTEL75	Line set, 75 ft (22.9m), use with C2648 remote cooled units, brazing required	40/18	\$1,299
KTEL4	Tube end kit - contains 4 quick connect fittings for any RTEL Line Set	5/2	\$339
Prodigy® and Prodigy Plus® Modular Cuber Accessories			
KPAS	Kit - Prodigy Advanced Sustainability. Includes KSBUS-N and KVS	10/4	\$1,630
KSBUS	Kit - Prodigy Smart-Board™ - Use additional operational data for fast diagnosis	5/2	\$1,109
KSBUS-N	Kit - Prodigy Smart-Board™ - Network connection	5/2	\$1,439
KVS	Kit - Prodigy Vari-Smart™ Ice Level Control - Adjust ice levels to match ice needs	5/2	\$495
Air Flow Kits			
KPPSA223	Kit - Prodigy Plus® Side Air Flow for C0322, C0522, N0422, F0522, N0622, F0822	11/5	\$377
KPPSA229	Kit - Prodigy Plus® Side Air Flow for C0722	13/6	\$516
KPPSA323	Kit - Prodigy Plus® Side Air Flow for C0330, C0530, C0630	13/6	\$429
KPPSA329	Kit - Prodigy Plus® Side Air Flow for C0830, C1030	15/7	\$548

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 27 for storage bins. Please call for pricing on other international configurations.

Prodigy Plus® Eclipse® Ice Machines



EH222SL



22" x 16.5" x 29"
55.9 x 41.9 x 73.7 cm

EH330SL



30" x 24" x 23"
76.2 x 61.0 x 58.4 cm

EH430SL / ML




30" x 24" x 29"
76.2 x 61.0 x 73.7 cm

Cube Size	Model Number	Use With Condensing Unit	24 hr Ice Production		Shipping Weight lb/kg	List Price	
			70°F/21°C 50°F/10°C lb/kg	Air Water		115/60/1 -1	230/50/1 -6
Sm.	Ice Maker						
	EH222SL	ECC0800 ECC1410	850/386 1030/468		319/145 332/151	\$8,779 \$8,523	\$8,979 ●
Sm.	Ice Maker	ECC1200	1411/641		310/141	\$9,577	
Sm. / Med.	Ice Maker	ECC1410 ECC1800	1425/648 1775/807		332/151 350/159	\$9,990 \$9,990	

ECC Features

- Energy efficient components save money on utility costs.
- Better corrosion resistance increases life of unit.
- One piece design makes installation and service easier.
- Maximizes air conditioning load.
- Allows for quiet operation in dining and working environments.
- Able to operate in wide outdoor temperature range from -20° F to 120° F.



Prodigy Plus® Eclipse® Complete Package



+



=

Eclipse®
SYSTEM*

Approx. Ice Production (lb.)	Ice Maker Small Cube	Ice Maker List Price	Condensing Unit	Condensing List Price	System List Price
800	EH222SL	\$8,779	ECC0800	\$10,666	\$19,445
1000	EH222SL	\$8,979	ECC1410	\$12,536	\$21,515
1400	EH330SL	\$9,298	ECC1200	\$12,589	\$21,887
1400	EH430SL / ML	\$9,700	ECC1410	\$12,536	\$22,236
1800	EH430SL / ML	\$9,700	ECC1800	\$18,436	\$28,136

*Line sets and bin top kits must be purchased with Eclipse® System for proper operation of equipment.

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 27 for storage bins. Please call for pricing on other international configurations.

Prodigy Plus® Eclipse® Condensing Unit

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				208-230/60/1 -32	208-230/60/3 -3	230/50/1 -6
 27" x 32.06" x 39.75" 68.58 x 81.4 x 100.9 cm	Remote Condensers					
	ECC0800	Remote condensing unit Eclipse 800 lb/364 kg systems	319/145		\$10,666	
	ECC1200	Remote condensing unit Eclipse 1400 lb/636 kg systems	310/141	\$12,589		
	ECC1410	Remote condensing unit Eclipse 1000-1400 lb /455-636 kg systems	332/151	\$12,536	\$12,711	
	ECC1800	Remote condensing unit Eclipse 1800 lb/818 kg systems	350/159		\$18,436	

Prodigy Plus® Eclipse® Accessories

Model Number	Description	Shipping Weight lb/kg	List Price
Line Sets			
3BRTE20-EH	Line set, 20ft. Refrigerant and Brazing required.	21/10	\$512
3BRTE35-EH	Line set, 35ft. Refrigerant and Brazing required.	32/15	\$768
3BRTE50-EH	Line set, 50ft. Refrigerant and Brazing required.	53/24	\$1,114
3BRTE75-EH	Line set, 75ft. Refrigerant and Brazing required.	79/36	\$1,699
KTE6-EH	Kit, Tube End, 6 Fittings, 3RTExx-EH Line set	5/2	\$920

Undercounter Gourmet Cube Units



Unit Dimensions (W x D x H)	Model Number	Condenser Type	24 hr Ice Production		Storage Capacity lb/kg	Shipping Weight lb/kg	List Price Volts/Hz/Phase		
			70°F/21°C 50°F/10°C lb/kg	Air Water			115/60/1 -1	208-230/60/1 N/A	230/50/1 N/A
 14.88" x 22" x 34.38" 37.8 x 55.9 x 87.3 cm	CU50								
	CU50GA	Air	64/29		26/12	100/45	\$6,771		
	CU50PA*	Air	64/29		26/12	105/48	\$7,761		
 15.19" x 23.63" x 34.13" 38.6 x 60 x 86.69 cm Height includes 5.25" (13.3cm) legs	CU0515								
	CU0515GA	Air	74/34		24/11	95/43	\$8,250		

Standard exterior finish: Stainless Steel.

*CU50PA-1A comes with a pump drain instead of a gravity drain.

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 27 for storage bins.
Please call for pricing on other international configurations.

UNDERCOUNTER CUBE ICE MACHINES



You want ice, not issues. That's why Scotsman created the undercounter line of ice machines. Small in stature. Big on reliability and ease of use. Because at the end of the day, what you really want is a machine that works as hard as you do.

Features & Benefits

Slide back door allows easy access to ice in the bin

Front breathing vents allow for flexible placement

High-volume capacity in a small, compact footprint



Energy Efficient Design:
Environmentally friendly while saving operators money




Unique evaporator produces crystal clear cubes



With an optional floor mount kit, our 15" & 20" wide models can be installed under 34" ADA counter tops



Scotsman®



Undercounter Cube Ice Machines



CU0415



15"W x 24"D x 38"H*
38.1 x 61.0 x 96.5 cm

CU0715



15"W x 24"D x 38"H*
38.1 x 61.0 x 96.5 cm

CU0920



20"W x 24"D x 38"H*
50.8 x 61.0 x 96.5 cm

UC2024



24"W x 29"D x 39"H*
61.0 x 73.5 x 99.1 cm

UC2724



24"W x 29"D x 39"H*
61.0 x 73.5 x 99.1 cm

CU3030



30"W x 30"D x 39"H*
76.2 x 76.2 x 99.1 cm

*Height includes 6" (15.2cm) legs

Cube Size	Model Number	Condenser Type	24 hr Ice Production			Storage Capacity	Shipping Weight	List Price		
			70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg			115/60/1 -1	208-230/60/1 -32	230/50/1 -6
Med.	CU0415MA	Air	58/26		38/17	36/16	90/41	\$5,035		\$5,185 ●
	CU0715MA	Air	80/36		58/26	36/16	96/44	\$5,542		\$5,692 ●
	CU0920MA	Air	100/45		80/36	57/26	118/54	\$5,914		\$6,064 ●
Med. Sm.	UC2024MA	Air	227/103		166/75	80/36	150/68	\$6,188 ✓		
	UC2024MW	Water	230/104		176/80	80/36	150/68	\$6,347		
	UC2024SA	Air	227/103		166/75	80/36	150/68	\$6,188 ✓		
	UC2024SW	Water	230/104		176/80	80/36	150/68	\$6,347		
Med. Sm.	UC2724MA	Air	282/128		202/92	80/36	175/79	\$7,028		\$7,187
	UC2724MW	Water	266/121		219/100	80/36	175/79	\$7,187		
	UC2724SA	Air	282/128		202/92	80/36	175/79	\$7,028		\$7,187
	UC2724SW	Water	266/121		219/100	80/36	175/79	\$7,187		
Med. Sm.	CU3030MA	Air	313/142		224/102	110/50	230/104	\$8,414	\$8,547	\$8,573 ●
	CU3030SA	Air	313/142		224/102	110/50	230/104	\$8,414	\$8,547	\$8,573 ●
	CU3030SW	Water	347/158		282/128	110/50	230/104	\$8,573		

Undercounter Ice Machine Accessories

Model Number	Description	Shipping Weight	List Price
		lb/kg	
KLP8S	Kit, Leg 6", Stainless Steel	5/2	\$433
KBC1	Kit, Casters	8/4	\$600
KUFM15	For ADA applications. Floor mount kit for 15" wide units, lowers overall height to 31.9"	3/1	\$296
KUFM20	For ADA applications. Floor mount kit for 20" wide units, lowers overall height to 31.9"	3/1	\$296
KUFM24	Floor mount kit for 24" wide units. Lowers height to 33.5"	3/1	\$316
KPUFM30	Kit - Prodigy® Undercounter Floor Mount for CU3030	3/1	\$363

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1.
Please call for pricing on other international configurations.

PRODIGY PLUS® MODULAR FLAKE ICE MACHINES



Flake ice is perfect for presentation and preservation. It cools more quickly than other ice forms and is ideal for seafood and produce displays. Newly added sealed bearings eliminate the need to grease, while providing better reliability & lower service costs.



Features & Benefits

Small flake ice pieces combine **fast cooling** power with very **low production costs**

Smart-Board™ advanced **feature module** available for additional diagnostic capabilities

Self-aligning front panel for **easy access** to key components

Optional **Vari-Smart™** ice **level control** allows operators to customize ice levels

Easily visible **AutoAlert™** indicator lights & **QR code** for easy maintenance

NEW



More reliable than ever, **sealed, maintenance-free bearings** contribute to a longer machine life



Removable front air filter, built-in **antimicrobial protection** & **sealed refrigeration** system for easy cleaning & sanitary operation



Stainless steel evaporator & auger for maximum durability

Scotsman®

PRODIGY PLUS

DESIGNED
ENGINEERED
ASSEMBLED
IN THE
USA

Prodigy Plus® Modular Flake Ice Machines

*Refer to page 27 & 29 for required bins & bin top kits.



Unit Dimensions (W x D x H)	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase		
			70°F/21°C 50°F/10°C lb/kg	Air Water		115/60/1 -1	208-230/60/1 -32	230/50/1 -6
 22" x 24" x 23" 55.9 x 61.0 x 58.4 cm	F0522	Air Water	450/205 530/240	372/169 409/186	173/78 173/78	\$10,748 \$10,998		
	FS0522A FS0522W							
	F0822	Air Remote Water	800/363 760/345 775/352	606/275 589/268 581/264	175/79 175/79 175/79	\$13,658 \$13,558 \$13,908	\$14,033	
	FS0822A							
	FS0822R FS0822W							

Unit Dimensions (W x D x H)	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase		
			70°F/21°C 50°F/10°C lb/kg	Air Water		208-230/60/1 -32	208-230/60/3 -3	230/50/1 -6
 22" x 24" x 27" 55.9 x 61.0 x 68.6 cm	F1222	Air Remote Water	1100/500 1250/567 1240/562	861/391 875/398 933/424	220/100 220/100 220/100	\$17,308 ✓ \$17,208 \$17,558	\$17,533 ✓ \$17,433	\$17,583 ●
	FS1222A FS1222R FS1222W							
	F1522	Air Remote	1612/733 1507/684	1100/500 1133/515	224/102 224/102	\$22,685 \$22,585		
	FS1522A							
	FS1522R							

Unit Dimensions (W x D x H)	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase		
			70°F/21°C 50°F/10°C lb/kg	Air Water		208-230/60/1 -32	208-230/60/3 -3	230/50/1 -6
 30" x 24" x 29" 76.2 x 61.0 x 73.7 cm	F2330	Remote Water	2218/1006 2405/1091	1861/844 2042/926	335/152 335/152	\$29,876 \$30,226	\$30,101 \$30,451	
	FS2330R							
	FS2330W							

Unit Dimensions (W x D x H)	Model Number	Condenser Type	24 hr Ice Production			Shipping Weight lb/kg	List Price Volts/Hz/Phase	
			70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		208-230/60/1 -32	230/50/1 N/A
 42" x 24" x 27" 106.7 x 61.0 x 68.6 cm	FME2404AS	Air	2455/1114		1792/813	395/179	\$32,756	

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 27 for storage bins. Please call for pricing on other international configurations.

PRODIGY PLUS® MODULAR NUGGET ICE MACHINES



Soft, cylindrical and slow-melting, our proprietary nugget ice is The Original Chewable Ice® - a customer favorite for decades. Also available in H² Nugget ice that provides more reliable dispensing.

NEW



More reliable than ever, **sealed, maintenance-free bearings** contribute to a longer machine life

Features & Benefits

NEW

Now available in softer **Original Chewable Nugget Ice** or harder, **H² Nugget Ice**

Smart-Board™ advanced feature module available for additional diagnostic capabilities

Self-aligning front panel for **easy access** to key components

Optional **Vari-Smart™** ice level control allows operators to customize ice levels



Removable front air filter, built-in **antimicrobial protection & sealed refrigeration** system for easy cleaning & sanitary operation



Easily visible **AutoAlert™** indicator lights & **QR code** for easy maintenance



Stainless steel evaporator & auger for maximum durability



Scotsman®

PRODIGY PLUS

DESIGNED
ENGINEERED
ASSEMBLED
IN THE
USA

Prodigy Plus® Modular Nugget Ice Machines

*Refer to page 27 & 29 for required bins & bin top kits.



Unit Dimensions (W x D x H)	Nugget Type	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				70°F/21°C 50°F/10°C lb/kg	Air Water lb/kg		90°F/32°C 70°F/21°C lb/kg	115/60/1 -1	208-230/60/1 -32
 22" x 24" x 23" 55.9 x 61.0 x 58.4 cm	N0422		Air Water Air Water	456/207	327/149	172/78	\$10,841		
	Hard Soft	NH0422A		441/200	370/168	172/78	\$11,091		
		NH0422W		420/191	320/145	172/78	\$10,841		
		NS0422A		455/206	386/175	172/78	\$11,091		
		NS0422W							
	N0622		Air Remote Water Air Remote Water	644/292	466/212	180/82	\$14,342	\$14,467	
	Hard Soft	NH0622A		631/286	494/225	180/82	\$14,242		
		NH0622R		640/290	505/230	180/82	\$14,592		
		NH0622W		643/292	530/241	180/82	\$14,342		
		NS0622A		660/299	515/234	180/82	\$14,242		
		NS0622R		715/324	515/234	180/82	\$14,592		
		NS0622W							

Unit Dimensions (W x D x H)	Nugget Type	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase				
				70°F/21°C 50°F/10°C lb/kg	Air Water		90°F/32°C 70°F/21°C lb/kg	115/60/1 -1	208-230/60/3 -3	208-230/60/1 -32	230/50/1 -6
 22" x 24" x 27" 55.9 x 61.0 x 68.6 cm	Hard	N0922									
		Soft	NH0922A	Air	952/432		676/307	210/95	\$17,867 ✓		\$17,992 ✓
			NH0922R	Remote	896/406		717/326	210/95	\$17,767		\$17,892
	NH0922W		Water	908/412		740/336	210/95			\$18,242	
	Soft	NS0922A	Air	956/434		740/336	210/95	\$17,867 ✓		\$17,992 ✓	
		NS0922R	Remote	1044/474		754/343	210/95	\$17,767		\$17,892	
		NS0922W	Water	1094/496		817/371	210/95		\$18,467	\$18,242	
	Hard	N1322									
		Soft	NH1322A	Air	1186/537		866/394	225/102			\$22,903
			NH1322R	Remote	1191/540		1000/455	225/102			\$22,803
	NH1322W		Water	1242/563		1033/470	225/102	\$23,378		\$23,153	
	Soft	NS1322A	Air	1385/628		954/434	225/102			\$22,903	
		NS1322R	Remote	1360/617		1077/490	225/102			\$22,803	
		NS1322W	Water	1513/686		1115/507	225/102	\$23,378		\$23,153	

Unit Dimensions (W x D x H)	Nugget Type	Model Number	Condenser Type	24 hr Ice Production		Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				70°F/21°C 50°F/10°C lb/kg	Air Water lb/kg		90°F/32°C 70°F/21°C lb/kg	208-230/60/1 -32	208-230/60/3 -3
 30" x 24" x 29" 76.2 x 61.0 x 73.7 cm	N2030		Remote Water	1806/819 2003/909	1555/705 1723/782	337/153 337/153	\$29,876 \$30,226	\$30,101 \$30,451	
	Hard	NH2030R NH2030W							
		Soft	NS2030R NS2030W	Remote Water	1886/855 2121/962	1618/734 1781/808	337/153 337/153	\$29,876 \$30,226	\$30,101 \$30,451

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 27 for storage bins.
Please call for pricing on other international configurations.



Unit Dimensions (W x D x H)	Model Number	Ice Form	24 hr Ice Production			Shipping Weight lb/kg	List Price	
			70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		Volts/Hz/Phase	
 22" x 24" x 27" 55.9 x 61.0 x 68.6 cm	FS1222L FS1522L	Flake Flake	1180/535 1445/655		1000/454 1205/547	217/98 224/102	\$14,438 \$18,413	115/60/1 -1 208-230/60/1 N/A

Unit Dimensions (W x D x H)	Model Number	Ice Form	24 hr Ice Production			Shipping Weight lb/kg	List Price	
			70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		Volts/Hz/Phase	
 30" x 24" x 29" 76.2 x 61.0 x 73.7 cm	FS2330L	Flake	2275/1032		1900/862	233/106	\$25,360	115/60/1 -1 208-230/60/1 -32

Unit Dimensions (W x D x H)	Nugget Type	Model Number	Ice Form	24 hr Ice Production			Shipping Weight lb/kg	List Price	
				70°F/21°C 50°F/10°C lb/kg	Air Water	90°F/32°C 70°F/21°C lb/kg		Volts/Hz/Phase	
 22" x 24" x 27" 55.9 x 61.0 x 68.6 cm	Hard Soft	NH0922L	Nugget	889/403		766/347	217/98	\$15,027	115/60/1 -1 208-230/60/1 N/A
		NH1322L	Nugget	1191/540		1018/462	225/102	\$18,681	
		NS0922L	Nugget	1090/494		915/415	217/98	\$15,027	
		NS1322L	Nugget	1330/603		1100/499	225/102	\$18,681	

FLAKE

NUGGET



Flake ice is a smart choice for everything from blended cocktails and salad bars to produce, seafood and meat displays. It is also a popular choice for therapeutic use in healthcare facilities.

Our original Nugget ice is the best choice for carbonated beverages and therapeutic use. The H² Nugget allows for better dispensing and also melts slower.

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1. See page 27 for storage bins. Please call for pricing on other international configurations.

Nugget & Flake Ice Machine Kits and Accessories

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price Volts/Hz/Phase		
				115/60/1 -1	208-230/60/1 -32	230/50/1 -6
	Remote Condensers					
29.5" x 29.13" x 38.47" 74.9 x 74.0 x 97.7 cm	ERC111	Remote condenser for F0822R, N0622R or N0922R-1	95/43	\$2,848		
29.5" x 29.13" x 38.47" 74.9 x 74.0 x 97.7 cm	ERC311	Remote condenser for F1222R, F1522R, N0922R-32 or N1322R	130/59		\$3,006	\$3,181
29.5" x 37.8" x 38.47" 74.9 x 96.0 x 97.7 cm	ERC611	Remote condenser for F2330R and N2030R	140/84		\$4,306	

Model Number	Description	Shipping Weight lb/kg	List Price
Line Sets			
BRTE10	Line set, 10 ft, brazing required	7/3	\$465
BRTE25	Line set, 25 ft, brazing required	12/5	\$694
BRTE40	Line set, 40 ft, brazing required	17/7	\$786
BRTE75	Line set, 75 ft, brazing required	35/15	\$1,201
KTE4	Tube end kit - Contains 4 quick connect fittings for any RTE Line Set	5/2	\$311
Miscellaneous			
KERCF	Air filter for ERC111 or ERC311	5/2	\$225
KPFHM-E	Headmaster Kit for use with ERC101, ERC151, ERC201, ERC302 or PR2C240; Quick connect not included	10/5	\$476
KCMR-230	Fan relay kit for two 230V units connected to PR2C240 condenser	5/2	\$370
Prodigy Modular Flaker & Nugget Accs.			
KPAS	Kit-Prodigy Advanced Sustainability. Includes KSBU-N and KVS	10/4	\$1,630
KSBU	Kit-Prodigy Smart-Board™ - Use additional operational data for fast diagnosis	5/2	\$1,109
KSBU-N	Kit-Prodigy Smart-Board™ - Network connection	5/2	\$1,439
KVS	Kit-Prodigy Vari-Smart™ Ice Level Control - Adjust ice levels to match ice needs	5/2	\$495

UNDERCOUNTER NUGGET & FLAKE ICE MACHINES



Get the nugget and flake ice your customers love anywhere you need it with Scotsman's undercounter ice machines. With a proven freezer design and sealed bearings, you'll have the reliable machine your facility requires – with a more compact design.

BIG
OPPORTUNITY
SMALL UNIT

Features & Benefits

Slide back door allows easy access to ice in the bin

Front breathing vents allow for flexible placement

High-volume capacity in a small, compact footprint



Energy Star Certified*:
Environmentally friendly while saving operators money



Sealed, maintenance-free bearings ensure **maximum reliability** & contribute to a long machine lifetime



With an optional floor mount kit, our 15" & 20" wide models can be installed under **34" ADA counter tops**

*Select models only.

Scotsman®

Undercounter Nugget and Flake Ice Machines



UN0815



15"W x 24"D x 38"H*
38.1 x 61.0 x 96.5 cm

UN1215



15"W x 24"D x 38"H*
38.1 x 61.0 x 96.5 cm

UN1520



20"W x 24"D x 38"H*
50.8 x 61.0 x 96.5 cm

UN324



24"W x 28.5"D x 39"H*
61.0 x 72.4 x 99.1 cm

UF0915



15"W x 24"D x 38"H*
38.1 x 61.0 x 96.5 cm

UF1415



15"W x 24"D x 38"H*
38.1 x 61.0 x 96.5 cm

UF2020



20"W x 24"D x 38"H*
50.8 x 61.0 x 96.5 cm

UF424



24"W x 28.5"D x 39"H*
61.0 x 72.4 x 99.1 cm

*Height includes 6" (15.2cm) legs

Model Number	Condenser Type	24 hr Ice Production		Storage Capacity	Shipping Weight	List Price		
		70°F/21°C	Air			70°F/21°C	Volts/Hz/Phase	
		50°F/10°C	Water			70°F/21°C	115/60/1	230/50/1
		lb/kg		lb/kg	lb/kg	-1	-6	
Nugget Units								
UN0815A	Air	79/36	55/25	36/16	108/49	\$8,104	\$12,515	
UN1215A	Air	119/54	84/38	36/16	109/49	\$9,077		
UN1520A	Air	167/76	125/57	57/26	129/59	\$10,166		
UN324A	Air	340/154	266/121	80/36	210/95	\$12,390		
UN324W	Water	340/154	281/127	80/36	210/95	\$12,640		
Flake Units								
UF0915	Air	96/44	76/35	36/16	108/49	\$8,023	\$12,270	
UF1415	Air	142/64	107/49	36/16	109/49	\$8,987		
UF2020	Air	216/98	149/68	57/26	129/59	\$10,065		
UF424A	Air	440/200	310/141	80/36	200/91	\$12,145		
UF424W	Water	440/200	330/150	80/36	200/91	\$12,395		

UNDERCOUNTER NUGGET & FLAKE

Undercounter Ice Machine Accessories

Model Number	Description	Shipping Weight lb/kg	List Price
KLP8S	Kit, Leg 6", Stainless Steel	5/2	\$433
KBC1	Kit, Casters	8/4	\$600
KUFM15	For ADA applications. Floor mount kit lowers overall height to 31.9"	3/1	\$296
KUFM20	For ADA applications. Floor mount kit lowers overall height to 31.9"	3/1	\$296
KUFM24	Floor mount kit. Lowers height to 33.5"	3/1	\$316

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1.
Please call for pricing on other international configurations.



ICE & WATER DISPENSERS

Born out of extensive market research, the Scotsman Ice & Water Dispensers were developed with space, production and installation in mind. These units deliver the softest, most satisfying ice on the market today.

Features & Benefits

NEW

Maximum versatility with touch-free or button-activated dispensing options, as well as, counter-top or wall mount platforms



Sealed, maintenance-free bearings ensure **maximum reliability** & contribute to a long machine lifetime

Removable front panels allow **ease of access and service** to key internal components

Removable bin, sink, grill and chutes provide **maximum access** for ease of cleaning

Industry leading **energy and water efficiencies** deliver on-going savings



Intuitive **LED diagnostic lights** reduce service time



Scan for an example

Unit specific **QR code** for quick access to service manuals and warranty history



External air filter location **improves breathability & accessibility**, while requiring less side clearance



Scotsman®

Ice and Water Dispensers



Touch-free infrared sensor dispensing



User controlled push-button dispensing

HID312



HID312A & HID312AB:
16.25" x 24.38" x 35"
HID312AW: 18.25" x 24.38" x 35"

HID525



HID525A & HID525AB:
21.25" x 24.38" x 35"
HID525AW: 23.25" x 24.38" x 35"
HID525W & HID525WB:
21.25" x 24.38" x 35"

HID540



HID540A & HID540AB:
21.25" x 24.38" x 41"
HID540AW: 23.25" x 24.38" x 41"
HID525W & HID540WB:
21.25" x 24.38" x 41"

Model Number	Condenser Type	Dispensing Method	24 hr Ice Production		Storage Capacity	Shipping Weight	List Price	
			70°F/21°C	Air			90°F/32°C	Volts/Hz/Phase
			50°F/10°C	Water			70°F/21°C	115/60/1
			lb/kg	lb/kg	lb/kg	lb/kg	-1	-6
HID312	Air	Touch-Free Sensor	260/118	225/102	12/5	183/83	\$12,753	\$13,053 ●
HID312A								
HID312AB								
HID312AW*								
HID525	Air	Touch-Free Sensor	500/227	365/166	25/11	208/94	\$18,687	\$18,987 ●
HID525A								
HID525AB								
HID525AW*								
HID525W								
HID525WB								
HID540	Air	Touch-Free Sensor	500/227	365/166	40/18	215/98	\$20,393	\$20,693 ●
HID540A								
HID540AB								
HID540AW*								
HID540W								
HID540WB	Water	Button Activated	500/227	400/181	40/18	215/98	\$20,393	
KLP24A	4" adjustable legs, plastic with metal foot (box of 4)					5/2	\$131	

*Wall mount configuration. Does not have drip tray. Designed to be installed over existing sink.

Ice and Water Dispenser Stands

HST16-A



HST16-A: 16.5" x 23.75" x 32"
41.9 x 60.3 x 81.3 cm
Height includes 6" (15.2cm) legs

HST16B-A



HST16B-A: 16.5" x 23.75" x 32"
41.9 x 60.3 x 81.3 cm
Height includes 6" (15.2cm) legs

HST21-A



HST21-A: 21.5" x 23.75" x 32"
54.6 x 60.3 x 81.3 cm
Height includes 6" (15.2cm) legs

HST21B-A



HST21B-A: 21.5" x 23.75" x 32"
54.6 x 60.3 x 81.3 cm
Height includes 6" (15.2cm) legs

Model Number	Description	Shipping Weight lb/kg	List Price
Dispenser Kits			
HST16-A	Stand with door, use with HID312, SS, includes 6" legs	50/23	\$1,999
HST16B-A	Stand for HID312, basic version, SS, includes 6" legs	50/23	\$1,839
HST21-A	Stand with door, use with HID525 & HID540, SS, includes 6" legs	80/36	\$2,065
HST21B-A	Stand for HID525 & HID540, basic version, SS, includes 6" legs	80/36	\$1,900

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1.
Please call for pricing on other international configurations.

Hotel / Motel Cube Dispensers

HD22



22" x 33.5" x 53.25"
55.9 x 85.1 x 135.3 cm
Height includes 6" (15.2cm) legs

HD30



30" x 33.5" x 53.25"
76.2 x 85.1 x 135.3 cm
Height includes 6" (15.2cm) legs

Model Number	Dispensing Method	Storage Capacity lb/kg	Shipping Weight lb/kg	List Price Volts/Hz/Phase	
				115/60/1 -1	230/50/1 -6
HD22	Lever Activated	120/59	201/91	\$8,731	\$8,856 ●
HD22B					
HD30	Lever Activated Water Filler	180/81 180/81	220/100 225/102	\$10,204 \$11,225	\$10,329 ●
HD30B HD30W					

Hotel / Motel Dispenser Accessories

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price
12" x 6" x 6" 30.5 x 15.2 x 15.2 cm	KHDSANLV	Sanitary lever kit for HD models	5/2	\$200

Ice Only Counter Top Dispensers

ID150



22" x 30" x 35.63"
55.9 x 76.2 x 90.5 cm

ID200



30" x 30" x 35.63"
76.2 x 76.2 x 90.5 cm

ID250



30" x 30" x 39.63"
76.2 x 76.2 x 100.7 cm

Model Number	Dispensing Method	Storage Capacity lb/kg	Shipping Weight lb/kg	List Price Volts/Hz/Phase	
				115/60/1 -1	
Ice Only Dispensers					
ID150B	Lever Activated	150/68	149/68	\$10,250	
ID200B	Lever Activated	200/91	183/83	\$12,275	
ID250B	Lever Activated	250/114	188/85	\$14,732	

✓ = Energy Star certified. ● = CE Approved.

Combine model number and electrical indicator when ordering for exact SKU, i.e. C0322MA-1.
Please call for pricing on other international configurations.

Ice Only Dispenser Kits and Accessories

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price
 IOBDMS22: 22" x 30" x 30" 55.9 x 76.2 x 76.2 cm Height includes 6" (15.2cm) legs IOBDMS30: 30" x 30" x 30" 76.2 x 76.2 x 76.2 cm Height includes 6" (15.2cm) legs	Machine Stands			
	IOBDMS22 IOBDMS30	Machine stand for ID150 Machine stand for ID200 & ID250	93/42 120/55	\$3,173 \$3,188
	Kits			
	KWGFID KNUGDIV	Field installed water glass filler kit for ID150, ID200, & ID250 Field installed nugget ice kit for all ID dispensers	2/1 1/0.5	\$725 \$230

Storage Bins

Model Number		Storage Capacity	Ext. Finish	Liner Material	Unit Dimensions	Shipping Weight	List Price
		lb/kg			(W x D x H)	lb/kg	
	Modular Bins						
	B322S	370/168	Metallic	Poly	22" x 34" x 50" (55.9 x 86.4 x 127 cm)	140/64	\$2,953
	B330P	344/156	Poly	Poly	30" x 34" x 37" (76.2 x 86.4 x 94 cm)	90/41	\$2,817
	B530P	536/244	Poly	Poly	30" x 34" x 50" (76.2 x 86.4 x 127 cm)	110/50	\$3,064
	B530S	536/244	Metallic	Poly	30" x 34" x 50" (76.2 x 86.4 x 127 cm)	150/68	\$3,254
	B842S	778/353	Metallic	Poly	42" x 34" x 50" (106.7 x 86.4 x 127 cm)	190/86	\$4,379
	B948S	893/406	Metallic	Poly	48" x 34" x 50" (121.9 x 86.4 x 127 cm) Height includes 6" (15.2cm) legs	209/95	\$4,650
	BL Upright Modular Bins						
	BL1048S	1000/454	SS	Poly	48" x 31" x 54.4" (121.9 x 78.7 x 138.2 cm)	268/122	\$12,180
	BL1360S	1320/599	SS	Poly	60" x 31" x 54.4" (152.4 x 78.7 x 138.2 cm)	322/147	\$14,080
	BL1660S	1660/753	SS	Poly	60" x 31" x 63.4" (152.4 x 78.7 x 161 cm) Height includes 6" (15.2cm) legs	340/154	\$14,799

BL bins include universal adapter plate for use with most ice machines. See machine bin sizing chart on pages 34-35 for special configurations. Pricing for special bin tops is on page 29.

BL bins include universal adapter plate for use with most ice machines. See machine bin sizing chart on pages 34-35 for special configurations. Pricing for special bin tops is on page 29.

Ice Express System Built-to-Order Only

Unit Dimensions (W x D x H)	Model Number	Description	Storage Capacity lb/kg	Ext. Finish	Liner Material	Shipping Weight lb/kg	List Price
 ICS730 31" x 40" x 75" 78.7 x 101.6 x 1968.5 cm ICS1360 60" x 40" x 75" 152.4 x 101.6 x 190.5 cm ICS1790 90" x 40" x 70" 228.6 x 101.6 x 177.8 cm	Ice Express System						
	ICS730	1 Bay*	652/296	SS	Poly	398/181	\$19,751
	ICS1360	2 Bay*	1327/603	SS	Poly	712/323	\$35,780
	ICS1790	3 Bay*	1716/779	SS	Poly	978/444	\$55,504
	Options						
	ICS-PADDLE	Replacement paddle, white plastic	N/A	Poly	N/A	9/4	\$670
	ICS-SHOVEL	Shovel, white plastic	N/A	Poly	N/A	9/4	\$587
	ICS-CP	Replacement Poly Cart	240/109	Poly	N/A	75/34	\$5,513
	ICS-TOTE	Ice Totes - Set of 6	150/68	Poly	N/A	34/15	\$1,927
* Includes 1 poly cart for each bay.							

Bin Accessories

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price
	Caster Kits			
	KBC1	Bin caster kit for B530S, B842S, B948S, SB480, UC2024, UC2724, CU3030, BH bins, UF & UN Undercounter models [3.5" (8.9 cm) diameter wheels, 2 standard wheels and 2 locking. Raises bin 4 7/16" (11.3 cm)] - Not to be used with SB480 when using extension or B222S or B322S.	8/4	\$600
	KBC1P	Bin caster kit for B330P and B530P. [3.5" (8.9 cm) diameter wheels, 2 standard wheels and 2 locking. Raises bin a maximum of 4 7/16" (11.3 cm).	20/9	\$754
	Leg Kits			
	KLP7	Kit, legs, 6" black enamel, flanged feet, B Bins, HST stands, HD dispensers, CU0515, UC2024, UC2724, CU3030, UF & UN Undercounter models.	5/2	\$264
	KLP8S	Kit, legs, 6" stainless steel, Bx22, Bx30, B842, B948, HST stands, HD dispensers CU1526, CU2026, CU3030, UF & UN Undercounter models. Note: Legs are supplied with self-contained machines, bins and machine stands.	5/2	\$433
 19 1/4" x 10 3/4" x 28 1/2" 48.9 x 27.3 x 72.4 cm	Ice Bagger			
	BGS10	Hooks over any ice bin opening. Aluminum.	25/11	\$1,068
	KBAG	Case of 1000 8lb bags.	30/14	\$527
	KTAPE	One roll - 180 ft (54.9 m)	1/0.5	\$72
	KSEALER	Tape sealer.	5/2	\$605
Note: BGS10 includes easy bagger, wicket of bags (250), tape sealer and 1 roll of tape.				
	Ice Scoop Holder			
	KHOLDER	Stainless steel scoop holder. Fits all B330, B530, B842 and B948 ice storage bins	2/1	\$154

Bin Top Kits

Model Number	Description	Shipping Dimensions L x W x H	Use On	Shipping Weight lb/kg	List Price
KBT14A	NME1854, FME2404	10" x 27" x 5"	B948	8/4	\$494
KBT22B	All 30" (76.2 cm) modular cube, flake or nugget ice makers	17" x 29" x 5"	B948	11/5	\$581
KBT27	All 22" (55.9 cm) modular cube, flake or nugget ice makers except EH222	10" x 27" x 5"	B330, B530	8/4	\$487
KBT29	All 30" (76.2 cm) modular cube, flake or nugget ice makers	14" x 27" x 7"	B842	10/5	\$540
KBT31	EH222	10" x 27" x 5"	B322	8/4	\$482
KBT38	All 22" (55.9 cm) modular cube, flake and nugget ice makers except EH222	6" x 30" x 17"	B948	14/7	\$605
KBT38-2X	All 22" (55.9 cm) modular cube, flake and nugget ice makers except EH222 side by side	10" x 27" x 5"	B948	5/2	\$357
KBT39	All 22" (55.9 cm) modular cube, flake and nugget ice makers except EH222	14" x 27" x 7"	B842	10/5	\$548
KBTAB5	EH222	26" x 24" x 7"	AB5	24/11	\$2,278
KBT40A	EH222	26" x 24" x 7"	ID150	24/11	\$2,256
KBT41	EH222	32" x 32" x 5"	ID200, ID250	25/11	\$2,290
KBT42	All 22" modular ice machines except EH222	31" x 33" x 5"	ID150	12/5	\$1,126
KBT43	All 22" modular cube and nugget ice makers except EH222	33" x 47" x 5"	ID200, ID250	26/12	\$1,499
KBT44	All 30" modular cube ice makers	32" x 33" x 2"	ID200, ID250	13/5	\$1,039
KBT45	EH222	32" x 31" x 5"	ED300	33/15	\$5,373

Bin Top Kits - BL1048, BL1360, BL1660, ICS

Model Number	Description	Shipping Dimensions L x W x H	Use On	Shipping Weight lb/kg	List Price
KBT70	Kit, Bin top for use with (2) 30" heads on BL1360 or BL1660	36" x 63" x 5"	BL1360, BL1660	70/32	\$3,359
KBT71	Kit, Bin top for use with 22" EH222 head on BL1048	36" x 63" x 5"	BL1048	70/32	\$3,348
KBT72	Kit, Bin top for use with (2) EH222 on BL1048	36" x 63" x 5"	BL1048	70/32	\$3,359
KBT73	Kit, Bin top for use with EH222 on BL1360, BL1660	36" x 63" x 5"	BL1360, BL1660	70/32	\$3,149
KBT74	Kit, Bin top for use with (2) EH222 on BL1360 or BL1660	36" x 63" x 5"	BL1360, BL1660	70/32	\$3,359
KBT75	Kit, Bin top for use with (2) 30" heads on ICS1360	36" x 63" x 5"	ICS1360	70/32	\$3,675

Accessory Kits

Model Number	Description	Shipping Weight lb/kg	List Price
Prodigy Plus® Nugget Dispenser Accessory Kits			
KDIL-PN-150	Kit, Ice Level Control with KVS, Prodigy Nugget on Cornelius DF or ED150	2/1	\$1,441
KDIL-PN-200	Kit, Ice Level Control with KVS, Prodigy Nugget on Cornelius DF or ED200	5/2	\$1,448
KDIL-PN-250	Kit, Ice Level Control with KVS, Prodigy Nugget on Cornelius DF or ED250	5/2	\$1,594
KDIL-PN-ID3	Kit, Ice Level Control with thermostat, Prodigy Nugget on Cornelius DF or ED300	2/1	\$270
KFSMF	Kit, manual fill nugget for Coca Cola Freestyle 9000 dispenser	3/1	\$497
KFSTM	Kit, top mounted nugget for Coca Cola Freestyle 9000 dispenser	3/1	\$605

XSafe® Sanitation System



Our XSafe® device is an optional sanitation system that is integrated on the top of your ice machine. XSafe® circulates cold oxygen plasma inside of the machine to help sanitize the air and surrounding surfaces. Operating automatically, this sanitation system runs all day long to ensure your equipment is clean and safe.

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price
 12" x 4 1/4" x 2 1/4" 30.5 x 10.8 x 5.7 cm	XSafe® Sanitation System			
	XR-30	Sanitation system for helping eliminate viruses, bacteria and slime. Compatible with all modular units.	10/5	\$1,073

AquaDefense® System - Sanitation Solution

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price
	AquaBullet® Anti Microbial Wand			
	ADS-AB6	6 pack of Antimicrobial wands to prevent slime and mold build up. Used for modular cube ice machines.	5/2	\$1,832
 AP1-P: 5 5/8" x 4 3/4" x 21 1/2" 14.3 x 12.1 x 54.6 cm AP2-P: 16 1/2" x 5 1/2" x 19 1/4" 41.9 x 14.0 x 48.9 cm AP3-P: 21" x 5 1/2" x 19 1/4" 53.3 x 14.0 x 48.9 cm	AquaPatrol™ Plus Water Filtration System			
	AP1-P	Single system - Cubers up to 650 lb (395 kg), flakers, nuggets and nugget dispensers up to 1,200 lb (544 kg)	7/3	\$596
	AP2-P	Twin System - Cubers over 650 lb (395 kg) and up to 1,200 lb (544 kg), flakers and nuggets over 1,200 lb (544 kg)	11/5	\$1,079
	AP3-P	Triple System - Cubers over 1,200 lb (544 kg)	16/7	\$1,666
	APRC6-P	Replacement cartridge (package of 6)	7/3	\$939
	APRC1-P	Replacement cartridge (package of 1)	3/1.5	\$187

Water Filtration Systems By Everpure®

Unit Dimensions (W x D x H)	Model Number	Description	Shipping Weight lb/kg	List Price
 SSM1 5 5/8" x 4 3/4" x 30 1/2" 14.3 x 12.1 x 77.5 cm SSM2 16 1/2" x 5 1/2" x 29 1/4" 41.9 x 14.0 x 74.0 cm SSM3 21" x 5 1/2" x 29 1/4" 53.3 x 14.0 x 74.0 cm	SSM Plus Filtration Systems with AquaArmor by AgION®			
	SSM1-P	Single system - Cubers up to 650 lb (395 kg), flakers, nuggets and nugget dispensers up to 1,200 lb (544 kg)	7/3	\$792
	SSM2-P	Twin System - Cubers over 650 lb (295 kg), flakers and nuggets over 1,200 lb (544 kg)	11/5	\$1,389
	SSM3-P	Triple System - Cubers over 1,200 lb (544 kg)	16/7	\$2,182
	SSMRC Replacement Cartridges			
	SSMRC1 SSMRC6	Single replacement cartridge (package of 1) 6 pack replacement cartridge (package of 6)	3/1.5 7/3	\$261 \$1,276
	SC Coarse Prefilters			
	SC10-A SC20-A	10" (25.4 cm) Coarse prefilter 20" (50.8 cm) Coarse prefilter	5/2 11/5	\$273 \$405
	SC Replacement Prefilters			
	SC10RC40 SC20RC20	SC10 replacement filter SC20 replacement filter	17/8 17/8	\$504 \$523

Water Filter Selection

Ice Form	Configuration	Model Number	AquaPatrol (System, Cartridge)	SSM Plus (System, Cartridge)
Cube	Self-Contained	CU50, CU0415, CU0515, CU0715, CU0920, UC2024, UC2724, CU3030	AP1-P, APRC1-P	SSM1-P, SSMRC1
Cube	Up to 650 lbs	BC0530, C0322, C0330, C0522, C0530, C0630, C0722	AP1-P, APRC1-P	SSM1-P, SSMRC1
Cube	Up to 1,200 lbs	C0830, C1030, EH222	AP2-P, APRC1-P	SSM2-P, SSMRC1
Cube	Over 1,200 lbs	C1448, C1848, C2148, C2648, EH330, EH430	AP3-P, APRC1-P	SSM3-P, SSMRC1
Nugget/Flake	Self-Contained/Dispenser	HID312, HID525, HID540, UF0915, UF1415, UF424, UN0815, UN1215, UN324	AP1-P, APRC1-P	SSM1-P, SSMRC1
Nugget/Flake	Up to 1,200 lbs	F0522, F0822, F1222, N0422, N0622, N0922	AP1-P, APRC1-P	SSM1-P, SSMRC1
Nugget/Flake	Over 1,200 lbs	F1522, F2330, FME2404, N1322, N2030, NME1854	AP2-P, APRC1-P	SSM2-P, SSMRC1

CHARTS & INDEX

ICE MACHINE TO DISPENSER KIT CHART	33
MACHINE / BIN SIZING CHART	34-35
INDEX	36-38
WARRANTY & DEFINITIONS	39



Ice Machine to Dispenser Kit Application Chart

Company	Dispenser	Ice Machines EH222	C0322/522/722	C0330/530/630/830 1030, EH330, EH430	N0422/622 922/1322
Cornelius	ED150	KBT40A	KBT42		KBT42 KDIL-PN-150
Cornelius	DF150	629087959*	02388*		02388* KDIL-PN-150
Cornelius	ED175	629087571*	629093782TE		KDIL-PN-150 629093782TE*
Cornelius	ED200	KBT41	KBT43	KBT44	KBT43 KDIL-PN-200
	DF200	629087572*	08035*	08004*	
Cornelius	ED250	KBT41	KBT43	KBT44, KVS**	KBT43 KDIL-PN-250
	DF250	629087572	08035*	08004*, KVS**	
Cornelius	ED300	KBT45	08028*	629087943*	KDIL-PN-ID3 629087966* 629088644*
	DF300	KBT45	08028*	629087943*	
Cornelius	Flavor Fusion 255	629088666*	KVS** 629088502*	KVS** 629088505*	KVS 629088681* 629097086*
	IDC215/ID255	629088662*	KVS** 629088537*	KVS** 629088536*	KVS 629088677* 629097086*
Lancer	22" Wide	82-4063*	82-4062*		KVS A40403-021 82-3633/01*
Lancer	30" Wide	82-4061*	82-4060*	82-4059*, KVS**	KVS A40403-021 82-3633/01*
SerVend	S-150/SV-150	SL27-020000246*	SL30-020000249* CL10-5012116*		KVS SL30-020000249 CL10-5012116*
SerVend	SV-175	SL22-020000198*	SL24-020000200*		KVS SL24-020000200*
SerVend	S-200/SV-200 S-250/SV-250	SL17-5031150*	SL25-5031609*	N3-5031125* CL10-5012116*	KVS SL25-5031609*
Coca-Cola	Freestyle 9000 (free standing)	Contact Coca-Cola for bin adapters	KVS Contact Coca-Cola for bin adapters		KFSTM Contact Coca-Cola for bin adapters
Coca-Cola	Freestyle 7000 (countertop)	Contact Coca-Cola for bin adapters	KVS Contact Coca-Cola for bin adapters	KVS Contact Coca-Cola for bin adapters	11-0353-23 Contact Coca-Cola for bin adapters

* Non Scotsman kits must be purchased from the dispenser manufacturer.

** Recommended but not required.

- Please check with dispenser manufacturer for appropriate kits. Application chart subject to change.
- Blank cells indicate cannot be used together, N/A indicates no adapter needed.
- See spare parts price list for Scotsman A37693-021 & R629088514 pricing.
- Lancer dispensers must be specially configured for dispensing Scotsman Nugget Ice®
- Some Cornelius adapters kits include binstats - do not use the thermostats.
- All Cornelius ED/DF adapter kits have gray doors/covers. Contact Cornelius for black.
- All Cornelius FlavorFusion adapter kits are midnight black. Contact Cornelius for silver, orange or green.
- All Cornelius IDC255 adapter kits are black.

Machine / Bin Sizing Chart

Dimensions in W x D x H - (Height includes 6" legs)

No bin top required when KBT not listed.

	BINS (Storage)	B322S	B330P	B530P/S	B842S	B948S	BL1048S*	BL1360S*	BL1660S*
ICE MAKERS (Production)	LBS	370	344	536	778	893	1000	1320	1660
C0322 C0522	300 500	22" x 34" x 73" 55.9 x 86.4 x 185.4 cm	30" x 34" x 59" 76.2 x 86.4 x 149.9 cm w/KBT27 top	30" x 34" x 73" 76.2 x 86.4 x 185.4 cm w/KBT27 top	42" x 34" x 73" 106.2 x 86.4 x 185.4 cm w/KBT39 top	48" x 34" x 73" 121.9 x 86.4 x 185.4 cm w/KBT38 top or KBT38-2x - side by side			
C0722	700	22" x 34" x 76" 55.9 x 86.4 x 193.0 cm	30" x 34" x 65" 76.2 x 86.4 x 165.1 cm w/KBT27 top	30" x 34" x 79" 76.2 x 86.4 x 200.7 cm w/KBT27 top	42" x 34" x 79" 106.2 x 86.4 x 200.7 cm w/KBT39 top	48" x 34" x 79" 121.9 x 86.4 x 200.7 cm w/KBT38 top or KBT38-2x - side by side	48" x 31" x 84" 121.9 x 78.7 x 213.3 cm	60" x 31" x 84" 152.4 x 78.7 x 213.3 cm	60" x 31" x 93" 152.4 x 78.7 x 236.2 cm
C0330 C0530 C0630	300 500 600		30" x 34" x 59" 76.2 x 86.4 x 149.9 cm	30" x 34" x 73" 76.2 x 86.4 x 185.4 cm	42" x 34" x 73" 106.7 x 86.4 x 185.4 cm w/KBT29 top	48" x 34" x 73" 121.9 x 86.4 x 185.4 cm w/KBT22B top			
C0830 C1030	800 1000			30" x 34" x 79" 76.2 x 86.4 x 200.7 cm	42" x 34" x 79" 106.2 x 86.4 x 200.7 cm w/KBT29 top	48" x 34" x 79" 121.9 x 86.4 x 200.7 cm w/KBT22B top	48" x 31" x 84" 121.9 x 78.7 x 213.3 cm	60" x 31" x 84" 152.4 x 78.7 x 213.3 cm	60" x 31" x 93" 152.4 x 78.7 x 236.2 cm
C1448 C1848 C2148	1400 1800 2000					48" x 34" x 79" 121.9 x 86.4 x 200.7 cm	48" x 31" x 84" 121.9 x 78.7 x 213.3 cm	60" x 31" x 84" 152.4 x 78.7 x 213.3 cm	60" x 31" x 93" 152.4 x 78.7 x 236.2 cm
C2648	2600					48" x 34" x 84" 121.9 x 86.4 x 213.4 cm	48" x 31" x 89" 121.9 x 78.7 x 226 cm	60" x 31" x 89" 152.4 x 78.7 x 226 cm	60" x 31" x 98" 152.4 x 78.7 x 248.9 cm
EH222	800 1000						48" x 31" x 84" 121.9 x 78.7 x 213.3 cm w/ KBT71 or KBT72 - side by side	60" x 31" x 84" 152.4 x 78.7 x 213.3 cm w/ KBT73 or KBT74 - side by side	60" x 31" x 93" 152.4 x 78.7 x 236.2 cm w/ KBT73 or KBT74 - side by side
EH330	1400				42" x 34" x 73" 106.2 x 86.4 x 185.4 cm w/KBT29 top	48" x 34" x 73" 121.9 x 86.4 x 185.4 cm w/KBT22B top	48" x 31" x 78" 121.9 x 78.7 x 198.1 cm	60" x 31" x 78" 152.4 x 78.7 x 198.1 cm	60" x 31" x 87" 152.4 x 78.7 x 221 cm
EH430	1400 1800				42" x 34" x 79" 106.2 x 86.4 x 200.7 cm w/KBT29 top	48" x 34" x 79" 121.9 x 86.4 x 200.7 cm w/KBT22B top	48" x 31" x 84" 121.9 x 78.7 x 213.3 cm	60" x 31" x 84" 152.4 x 78.7 x 213.3 cm	60" x 31" x 93" 152.4 x 78.7 x 236.2 cm
N0422 N0622	400 600	22" x 34" x 73" 55.9 x 86.4 x 184.4 cm	30" x 34" x 59" 76.2 x 86.4 x 149.9 cm w/KBT27 top	30" x 34" x 73" 76.2 x 86.4 x 185.4 cm w/KBT27 top	42" x 34" x 73" 106.2 x 86.4 x 185.4 cm w/KBT39 top	48" x 34" x 73" 121.9 x 86.4 x 185.4 cm w/KBT38 top or KBT38-2x - side by side			
N0922 N1322	900 1300	22" x 34" x 77" 55.9 x 86.4 x 195.6 cm	30" x 34" x 63" 76.2 x 86.4 x 160.0 cm w/KBT27 top	30" x 34" x 77" 76.2 x 86.4 x 195.6 cm w/KBT27 top	42" x 34" x 77" 106.2 x 86.4 x 195.6 cm w/KBT39 top	48" x 34" x 77" 121.9 x 86.4 x 195.6 cm w/KBT38 top or KBT38-2x - side by side	48" x 31" x 84" 121.9 x 78.7 x 213.3 cm	60" x 31" x 84" 152.4 x 78.7 x 213.3 cm	60" x 31" x 93" 152.4 x 78.7 x 236.2 cm
N2030	2000			30" x 34" x 79" 76.2 x 86.4 x 200.7 cm	42" x 34" x 79" 106.2 x 86.4 x 200.7 cm w/KBT29 top	48" x 34" x 79" 121.9 x 86.4 x 200.7 cm w/KBT22B top	48" x 31" x 84" 121.9 x 78.7 x 213.3 cm	60" x 31" x 84" 152.4 x 78.7 x 213.3 cm	60" x 31" x 93" 152.4 x 78.7 x 236.2 cm
F0522 F0822	500 800	22" x 34" x 73" 55.9 x 86.4 x 184.4 cm	30" x 34" x 59" 76.2 x 86.4 x 149.9 cm w/KBT27 top	30" x 34" x 73" 76.2 x 86.4 x 185.4 cm w/KBT27 top	42" x 34" x 73" 106.2 x 86.4 x 185.4 cm w/KBT39 top	48" x 34" x 73" 121.9 x 86.4 x 185.4 cm w/KBT38 top or KBT38-2x - side by side	48" x 31" x 78" 121.9 x 78.7 x 198.1 cm	60" x 31" x 78" 152.4 x 78.7 x 198.1 cm	60" x 31" x 87" 152.4 x 78.7 x 221 cm
F1222 F1522	1200 1500	22" x 34" x 77" 55.9 x 86.4 x 195.6 cm	30" x 34" x 63" 76.2 x 86.4 x 160.0 cm w/KBT27 top	30" x 34" x 77" 76.2 x 86.4 x 195.6 cm w/KBT27 top	42" x 34" x 77" 106.2 x 86.4 x 195.6 cm w/KBT39 top	48" x 34" x 77" 121.9 x 86.4 x 195.6 cm w/KBT38 top or KBT38-2x - side by side	48" x 31" x 84" 121.9 x 78.7 x 213.3 cm	60" x 31" x 84" 152.4 x 78.7 x 213.3 cm	60" x 31" x 93" 152.4 x 78.7 x 236.2 cm
F2330	2300			30" x 34" x 79" 76.2 x 86.4 x 200.7 cm	42" x 34" x 79" 106.2 x 86.4 x 200.7 cm w/KBT29 top	48" x 34" x 79" 121.9 x 86.4 x 200.7 cm w/KBT22B top	48" x 31" x 84" 121.9 x 78.7 x 213.3 cm	60" x 31" x 84" 152.4 x 78.7 x 213.3 cm	60" x 31" x 93" 152.4 x 78.7 x 236.2 cm
FME2404	2400				42" x 34" x 77" 106.2 x 86.4 x 195.6 cm	48" x 34" x 77" 121.9 x 86.4 x 195.6 cm w/KBT14A top	48" x 31" x 82" 121.9 x 78.7 x 208.3 cm	60" x 31" x 82" 152.4 x 78.8 x 208.3 cm	60" x 31" x 91" 152.4 x 78.7 x 231.1 cm

*Universal bin top adapter included for most applications. See above chart for adapters (if applicable).

Ice Only Dispensers

Hotel D-Bins

ABS	ID150	ID200	ID250	Cornelius ED300	HD22	HD30
150	150	200	250	300	120	180
	22" x 30 1/2" x 57 1/4" 55.9 x 77.5 x 145.4 cm w/KBT42 top	30" x 30 1/2" x 59" 76.2 x 77.5 x 149.9 cm w/KBT43 top	30" x 30 1/2" x 63" 76.2 x 77.5 x 160.0 cm w/KBT43 top		22" x 33 1/2" x 76 1/4" 55.9 x 85.1 x 193.7 cm	
	22" x 30 1/2" x 63 1/4" 55.9 x 77.5 x 160.7 cm w/KBT42 top	30" x 30 1/2" x 65" 76.2 x 77.5 x 165.1 cm w/KBT43 top	30" x 30 1/2" x 69" 76.2 x 77.5 x 175.3 cm w/KBT43 top		22" x 33 1/2" x 82 1/4" 55.9 x 85.1 x 208.9 cm	
		30" x 30 1/2" x 57 1/4" 76.2 x 77.5 x 145.4 cm w/KBT44 top	30" x 30 1/2" x 61 1/4" 76.2 x 77.5 x 155.6 cm w/KBT44 top	44" x 30 1/2" x 60" 112.7 x 77.5 x 152.4 cm w/Cornelius #629087943		30" x 33 1/2" x 76 1/4" 76.2 x 85.1 x 193.7 cm
		30" x 30 1/2" x 63 1/4" 76.2 x 77.5 x 160.7 cm w/KBT44 top	30" x 30 1/2" x 67 1/4" 76.2 x 77.5 x 170.8 cm w/KBT44 top	44 1/2" x 30 1/2" x 66" 112.7 x 77.5 x 170.8 cm w/Cornelius #629087943		
KB TABS	22" x 30 1/2" x 64 1/4" 55.9 x 77.5 x 163.2 cm w/KBT40A top	30" x 30 1/2" x 64 1/2" 76.2 x 77.5 x 163.2 cm w/KBT41 top	30" x 30 1/2" x 68 1/4" 76.2 x 77.5 x 173.4 cm w/KBT41 top	44 1/2" x 30 1/2" x 66" 112.7 x 77.5 x 167.6 cm w/KBT45 top		
		30" x 30 1/2" x 57 1/2" 76.2 x 77.5 x 145.4 cm w/KBT44 top	30" x 30 1/2" x 61 1/4" 76.2 x 77.5 x 145.4 cm w/KBT44 top	44 1/2" x 30 1/2" x 60 1/4" 112.7 x 77.5 x 153 cm w/Cornelius #629087943		
		30" x 30 1/2" x 63 1/4" 76.2 x 77.5 x 160.7 cm w/KBT44 top	30" x 30 1/2" x 67 1/4" 76.2 x 77.5 x 170.8 cm w/KBT44 top	44 1/2" x 30 1/2" x 66 1/4" 112.7 x 77.5 x 167.6 cm w/Cornelius #629087943		
	22" x 30 1/2" x 57 1/4" 55.9 x 77.5 x 145.4 cm w/KBT42 top, KNUGDIV	30" x 30 1/2" x 59" 76.2 x 77.5 x 149.9 cm w/KBT43 top KVS, KNUGDIV	30" x 30 1/2" x 63" 76.2 x 77.5 x 160.0 cm w/KBT43 top KVS, KNUGDIV	44 1/2" x 30 1/2" x 64" 112.7 x 77.5 x 152.4 cm KDIL-PN-ID3 w/Cornelius #629087966 and #629088644		
	22" x 30 1/2" x 61 1/4" 55.9 x 77.5 x 155.6 cm w/KBT42 top, KNUGDIV	30" x 30 1/2" x 63" 76.2 x 77.5 x 160.0 cm w/KBT43 top KVS, KNUGDIV	30" x 30 1/2" x 67" 76.2 x 77.5 x 170.2 cm w/KBT43 top KVS, KNUGDIV	44 1/2" x 30 1/2" x 64" 112.7 x 77.5 x 152.4 cm KDIL-PN-ID3 w/Cornelius #629087966 and #629088644		
		30" x 30 1/2" x 63 1/4" 76.2 x 77.5 x 160.7 cm w/KBT44 top	30" x 30 1/2" x 67 1/4" 76.2 x 77.5 x 170.8 cm w/KBT44 top	44 1/2" x 30 1/2" x 66" 112.7 x 77.5 x 170.8 cm w/Cornelius #629087943		

INDEX

3BRTE20-EH.....	PG. 13	C0522SW-32.....	PG. 9	C1448SA-3.....	PG. 10
3BRTE35-EH.....	PG. 13	C0530MA-1.....	PG. 9	C1448SA-32.....	PG. 10
3BRTE50-EH.....	PG. 13	C0530MA-32.....	PG. 9	C1448SA-6.....	PG. 10
3BRTE75-EH.....	PG. 13	C0530MA-6.....	PG. 9	C1448SR-32.....	PG. 10
ADS-AB6.....	PG. 30	C0530MR-1.....	PG. 9	C1448SR-3.....	PG. 10
AP1-P.....	PG. 30	C0530MW-1.....	PG. 9	C1448SW-32.....	PG. 10
AP2-P.....	PG. 30	C0530SA-1.....	PG. 9	C1448SW-3.....	PG. 10
AP3-P.....	PG. 30	C0530SA-32.....	PG. 9	C1848MA-32.....	PG. 10
APRC1-P.....	PG. 30	C0530SA-6.....	PG. 9	C1848MA-6.....	PG. 10
APRC6-P.....	PG. 30	C0530SR-1.....	PG. 9	C1848MR-3.....	PG. 10
B322S.....	PG. 27	C0530SW-1.....	PG. 9	C1848MR-32.....	PG. 10
B330P.....	PG. 27	C0630MA-32.....	PG. 9	C1848MR-6.....	PG. 10
B530P.....	PG. 27	C0630MA-6.....	PG. 9	C1848MW-32.....	PG. 10
B530S.....	PG. 27	C0630MR-32.....	PG. 9	C1848SA-32.....	PG. 10
B842S.....	PG. 27	C0630MW-32.....	PG. 9	C1848SA-6.....	PG. 10
B948S.....	PG. 27	C0630SA-32.....	PG. 9	C1848SR-3.....	PG. 10
BGS10.....	PG. 28	C0630SA-6.....	PG. 9	C1848SR-32.....	PG. 10
BL1048S.....	PG. 27	C0630SR-32.....	PG. 9	C1848SR-6.....	PG. 10
BL1360S.....	PG. 27	C0630SW-32.....	PG. 9	C1848SW-32.....	PG. 10
BL1660S.....	PG. 27	C0722MA-32.....	PG. 9	C2148MR-3.....	PG. 10
BRTE10.....	PG. 11, 21	C0722MA-6.....	PG. 9	C2148MR-32.....	PG. 10
BRTE25.....	PG. 11, 21	C0722SA-32.....	PG. 9	C2148MR-6.....	PG. 10
BRTE40.....	PG. 11, 21	C0722SA-6.....	PG. 9	C2148SR-3.....	PG. 10
BRTE75.....	PG. 11, 21	C0830MA-3.....	PG. 10	C2148SR-32.....	PG. 10
BRTEL25.....	PG. 11	C0830MA-32.....	PG. 10	C2148SR-6.....	PG. 10
BRTEL40.....	PG. 11	C0830MA-6.....	PG. 10	C2648MR-3.....	PG. 10
BRTEL75.....	PG. 11	C0830MR-32.....	PG. 10	C2648SR-3.....	PG. 10
C0322MA-1.....	PG. 9	C0830MW-32.....	PG. 10	CU0415MA-1.....	PG. 15
C0322MA-32.....	PG. 9	C0830SA-32.....	PG. 10	CU0415MA-6.....	PG. 15
C0322MA-6.....	PG. 9	C0830SA-3.....	PG. 10	CU0515GA-1.....	PG. 13
C0322MW-1.....	PG. 9	C0830SA-32.....	PG. 10	CU0715MA-1.....	PG. 15
C0322SA-1.....	PG. 9	C0830SR-6.....	PG. 10	CU0715MA-6.....	PG. 15
C0322SA-6.....	PG. 9	C0830SR-32.....	PG. 10	CU0920MA-1.....	PG. 15
C0322SW-1.....	PG. 9	C0830SW-32.....	PG. 10	CU0920MA-6.....	PG. 15
C0322SW-32.....	PG. 9	C1030MA-32.....	PG. 10	CU3030MA-1.....	PG. 15
C0330MA-1.....	PG. 9	C1030MA-6.....	PG. 10	CU3030MA-32.....	PG. 15
C0330MA-32.....	PG. 9	C1030MR-32.....	PG. 10	CU3030MA-6.....	PG. 15
C0330MW-1.....	PG. 9	C1030MR-3.....	PG. 10	CU3030SA-1.....	PG. 15
C0330SA-1.....	PG. 9	C1030MW-32.....	PG. 10	CU3030SA-32.....	PG. 15
C0330SW-1.....	PG. 9	C1030SA-32.....	PG. 10	CU3030SA-6.....	PG. 15
C0522MA-1.....	PG. 9	C1030SA-6.....	PG. 10	CU3030SW-1.....	PG. 15
C0522MA-32.....	PG. 9	C1030SR-3.....	PG. 10	CU50GA-1.....	PG. 13
C0522MA-6.....	PG. 9	C1030SR-32.....	PG. 10	CU50PA-1.....	PG. 13
C0522MW-1.....	PG. 9	C1030SR-6.....	PG. 10	ECC0800-3.....	PG. 12, 13
C0522SA-1.....	PG. 9	C1030SW-32.....	PG. 10	ECC0800-6.....	PG. 12, 13
C0522SA-32.....	PG. 9	C1448MA-3.....	PG. 10	ECC1200-32.....	PG. 12, 13
C0522SA-6.....	PG. 9	C1448MA-32.....	PG. 10	ECC1410-32.....	PG. 12, 13
C0522SW-1.....	PG. 9	C1448MA-6.....	PG. 10	ECC1410-3.....	PG. 12, 13
		C1448MR-32.....	PG. 10	ECC1800-3.....	PG. 12, 13
		C1448MR-3.....	PG. 10	EH222SL-1.....	PG. 12
		C1448MW-32.....	PG. 10	EH222SL-6.....	PG. 12
		C1448MW-3.....	PG. 10	EH330SL-1.....	PG. 12

EH430ML-1.....	PG. 12	ID150B-1.....	PG. 26	KPAS.....	PG. 11, 21
EH430SL-1.....	PG. 12	ID200B-1.....	PG. 26	KPFHM-E.....	PG. 21
ERC111-1.....	PG. 11, 21	ID250B-1.....	PG. 26	KPPSA223.....	PG. 11
ERC311-32.....	PG. 11, 21	IOBDM522.....	PG. 27	KPPSA229.....	PG. 11
ERC311-6.....	PG. 11, 21	IOBDM530.....	PG. 27	KPPSA323.....	PG. 11
ERC611-32.....	PG. 11	KBAG.....	PG. 28	KPPSA329.....	PG. 11
FS0522A-1.....	PG. 17	KBC1.....	PG. 28	KPUFM30.....	PG. 15
FS0522W-1.....	PG. 17	KBC1P.....	PG. 28	KSBU.....	PG. 11, 21
FS0822A-1.....	PG. 17	KBCSTK30.....	PG. 7	KSBU-N.....	PG. 11, 21
FS0822R-1.....	PG. 17	KBT14A.....	PG. 29	KSEALER.....	PG. 28
FS0822W-1.....	PG. 17	KBT22B.....	PG. 29	KTAPE.....	PG. 28
FS0822W-32.....	PG. 17	KBT27.....	PG. 29	KTE4.....	PG. 11, 21
FS1222A-3.....	PG. 17	KBT29.....	PG. 29	KTE6-EH.....	PG. 13
FS1222A-32.....	PG. 17	KBT31.....	PG. 29	KTEL4.....	PG. 11
FS1222A-6.....	PG. 17	KBT32.....	PG. 29	KTPS-SM.....	PG. 11
FS1222L-1.....	PG. 20	KBT38.....	PG. 29	KUFM15.....	PG. 15, 23
FS1222R-3.....	PG. 17	KBT38-2X.....	PG. 29	KUFM20.....	PG. 15, 23
FS1222R-32.....	PG. 17	KBT39.....	PG. 29	KUFM24.....	PG. 15, 23
FS1222W-32.....	PG. 17	KBT40A.....	PG. 29	KVS.....	PG. 11, 21
FS1522A-32.....	PG. 17	KBT41.....	PG. 29	KWGFID.....	PG. 27
FS1522L-1.....	PG. 20	KBT42.....	PG. 29	NH0422A-1.....	PG. 19
FS1522R-32.....	PG. 17	KBT43.....	PG. 29	NH0422W-1.....	PG. 19
FS2330L-32.....	PG. 20	KBT44.....	PG. 29	NH0622A-1.....	PG. 19
FS2330R-32.....	PG. 17	KBT45.....	PG. 29	NH0622A-32.....	PG. 19
FS2330R-3.....	PG. 17	KBT70.....	PG. 29	NH0622R-1.....	PG. 19
FS2330W-32.....	PG. 17	KBT71.....	PG. 29	NH0622W-1.....	PG. 19
FS2330W-3.....	PG. 17	KBT72.....	PG. 29	NH0922A-1.....	PG. 19
HD22B-1.....	PG. 26	KBT73.....	PG. 29	NH0922A-32.....	PG. 19
HD22B-6.....	PG. 26	KBT74.....	PG. 29	NH0922L-1.....	PG. 20
HD30B-1.....	PG. 26	KBT75.....	PG. 29	NH0922R-1.....	PG. 19
HD30B-6.....	PG. 26	KBTABS.....	PG. 29	NH0922R-32.....	PG. 19
HD30W-1.....	PG. 26	KCMR-230.....	PG. 21	NH0922W-32.....	PG. 19
HID312A-1.....	PG. 25	KDIL-PN-150.....	PG. 29	NH1322A-32.....	PG. 19
HID312A-6.....	PG. 25	KDIL-PN-200.....	PG. 29	NH1322L-1.....	PG. 20
HID312AW-1.....	PG. 25	KDIL-PN-250.....	PG. 29	NH1322R-32.....	PG. 19
HID525A-1.....	PG. 25	KDIL-PN-ID3.....	PG. 29	NH1322W-3.....	PG. 19
HID525A-6.....	PG. 25	KERCF.....	PG. 11, 21	NH1322W-32.....	PG. 19
HID525AW-1.....	PG. 25	KFSMF.....	PG. 29	NH2030R-32.....	PG. 19
HID525W-1.....	PG. 25	KFSTM.....	PG. 29	NH2030R-3.....	PG. 19
HID540A-1.....	PG. 25	KHDSANLV.....	PG. 26	NH2030W-32.....	PG. 19
HID540A-6.....	PG. 25	KHOLDER.....	PG. 28	NH2030W-3.....	PG. 19
HID540AW-1.....	PG. 25	KLP24A.....	PG. 25	NME1854RS-32.....	PG. 20
HID540W-1.....	PG. 25	KLP7.....	PG. 28	NS0422A-1.....	PG. 19
HST16-A.....	PG. 25	KLP8S.....	PG. 28	NS0422W-1.....	PG. 19
HST16B-A.....	PG. 25	KNUGDIV.....	PG. 27	NS0622A-1.....	PG. 19
HST21-A.....	PG. 25			NS0622A-32.....	PG. 19
HST21B-A.....	PG. 25			NS0622A-6.....	PG. 19
ICS730.....	PG. 28			NS0622R-1.....	PG. 19
ICS1360.....	PG. 28			NS0622W-1.....	PG. 19
ICS1790.....	PG. 28			NS0922A-1.....	PG. 19
ICS-CP.....	PG. 28			NS0922A-32.....	PG. 19
ICS-DIVIDE.....	PG. 28				
ICS-PADDLE.....	PG. 28				
ICS-SHOVEL.....	PG. 28				
ICS-TOTE.....	PG. 28				

NS0922A-6	PG. 19
NS0922L-1	PG. 20
NS0922R-1	PG. 19
NS0922R-32	PG. 19
NS0922W-3	PG. 19
NS0922W-32	PG. 19
NS1322A-32	PG. 19
NS1322L-1	PG. 20
NS1322R-32	PG. 19
NS1322W-3	PG. 19
NS1322W-32	PG. 19
NS2030R-32	PG. 19
NS2030R-3	PG. 19
NS2030W-32	PG. 19
NS2030W-3	PG. 19
PRC241-32	PG. 11
RCKCME6GX-E	PG. 11
SC10-A	PG. 31
SC10RC40	PG. 31
SC20-A	PG. 31
SC20RC20	PG. 31
SSM1-P	PG. 31
SSM2-P	PG. 31
SSM3-P	PG. 31
SSMRC1	PG. 31
SSMRC6	PG. 31
UC2024MA-1	PG. 15
UC2024MW-1	PG. 15
UC2024SA-1	PG. 15
UC2024SW-1	PG. 15
UC2724MA-1	PG. 15
UC2724MA-6	PG. 15
UC2724MW-1	PG. 15
UC2724SA-1	PG. 15
UC2724SA-6	PG. 15
UC2724SW-1	PG. 15
UF0915A-1	PG. 23
UF1415A-1	PG. 23
UF2020A-1	PG. 23
UF424A-1	PG. 23
UF424A-6	PG. 23
UF424W-1	PG. 23
UN0815A-1	PG. 23
UN1215A-1	PG. 23
UN1520A-1	PG. 23
UN324A-1	PG. 23
UN324A-6	PG. 23
UN324W-1	PG. 23
XR-30	PG. 30

Commercial Product Warranty Information

Effective September 1, 2022

The List Price Schedule is intended only as a guideline to pricing. It does not restrict the price a distributor or dealer may establish. Pricing and specifications subject to change without notice.



Warranty*

Prodigy Plus®, Eclipse® Cubers, iceValet® Hotel Dispensers & Bins

(EH, ERC, ECC, HD, BL, B, C0, C1, C2, CB & PR)

3 years parts

3 years labor

5 years parts & labor on Prodigy Evaporator, BL1360, BL1048, BL1660 & ICS systems

5 years parts on compressor & condenser

Prodigy Plus® & AutoSentry™ Flake & Nugget Ice Machines

(FM, NM, FS, NH & NS)

3 years parts

3 years labor

5 years parts on compressor

15" & 20" Wide Undercounter Ice Machines

(CU0415, CU0715, CU0920, UF0915, UF1415, UF2020,

UN0815, UN1215, UN1520)

3 years parts

3 years labor

24" Wide Undercounter Ice Machines

(UC2024, UC2724, UF424, UN324)

3 years parts

3 years labor

5 years parts on compressor

Undercounter Gourmet Ice Machines

(CU50)

1 years parts

1 years labor

5 years parts on compressor

(CU0515)

3 years parts

3 years labor

5 years parts on compressor & condenser

Undercounter Cube Ice Machine

(CU3030)

3 years parts

3 years labor

5 years parts & labor on the evaporator

5 years parts on compressor & condenser

Meridian™ Ice & Water Dispensers

(HID)

3 years parts

3 years labor

5 years parts on compressor & condenser

Water Filtration Systems

(SSM & AP)

5 years on manifold parts only (SSMx-P & SCx0-A)

Ice Only Dispensers

(ID)

2 years parts

1 years labor

* Warranty valid in North, South & Central America for commercial installations.

Residential warranty on commercial products: 1 year parts and labor.

Definitions

- Maximum production capabilities are typical peak production for 24 hours at 70°F/21°C air and 50°F/10°C water
- AHRI certified production capabilities are typical peak production for 24 hours at 90°F/32°C air and 70°F/21°C water
- Maximum capacity is based on 90% of total volume in cubic feet x 34 lb/ft
- (SS) Stainless Steel
- (RC) Rotocast Plastic
- (R-Air) Remote Air
- (RLS) Remote Lowside
- Freight F.O.B. Fairfax, South Carolina

Scotsman®



• 101 Corporate Woods Parkway, Vernon Hills, IL 60061 • 1-800-SCOTSMAN • Fax: 847-913-9844 • www.scotsman-ice.com • orders@scotsman-ice.com •
© 2022 Scotsman Ice Systems.

SIS-PL-COMIN22 07-22

an Ali Group Company



The Spirit of Excellence

You Tube
@ScotsmanIceSystems